



LIBRARY OF THE
UNIVERSITY OF ILLINOIS
AT URBANA-CHAMPAIGN

no. 66 - 99



NATURAL HISTORY
SURVEY



The Literature of Arthropods Associated with Alfalfa

II. A BIBLIOGRAPHY OF THE SITONA SPECIES

(Coleoptera: Curculionidae)

W. P. MORRISON and B. C. PASS, University of Kentucky
M. P. NICHOLS • E. J. ARMBRUST

Biological Notes No. 88
ILLINOIS NATURAL HISTORY SURVEY
Urbana, Illinois — February, 1974

STATE OF ILLINOIS
Department of Registration and Education
Natural History Survey Division

This paper is a contribution of principal investigators of the Alfalfa Subproject supported by an International Biological Program (IBP) sponsored grant, NSF Grant No. GB-34718, "The Strategies, Principles, and Tactics of Pest Population and Regulation in Major Crop Ecosystems."

Principal Investigators:

- E. J. ARMBRUST — Project Leader, Illinois Natural History Survey and
Illinois Agricultural Experiment Station
D. W. DAVIS — Utah State University
E. A. DICKASON — University of Nebraska
D. G. HANWAY — University of Nebraska
R. G. HELGESEN — Cornell University
B. C. PASS — University of Kentucky
R. L. PIENKOWSKI — Virginia Polytechnic Institute and State University
W. G. RUESINK — Illinois Natural History Survey and
Illinois Agricultural Experiment Station
C. G. SUMMERS — University of California

Enlarged view of adult of *Sitona* species (Coleoptera: Curculionidae).



The Literature of Arthropods Associated with Alfalfa

II. A BIBLIOGRAPHY OF THE *SITONA* SPECIES

(Coleoptera: Curculionidae)

W. P. Morrison, B. C. Pass,
M. P. Nichols, and E. J. Armbrust

THE ALFALFA ECOSYSTEM is unique among field-crop systems in that it represents a relatively long-lasting, well-established perennial system that exists nationally over a variety of climatic, geographical, and edaphic conditions. Because of the many subsystems, the interactions with other specific agroecosystems or natural systems are equally as varied. Alfalfa supports a wide variety of insects. These include destructive insects, pollinating insects, species that inhabit the fields because of the lush habitat but have little effect on the crop, and many associated predators and parasites. Because of the perennial growth habits of alfalfa, many pest and beneficial insect species of other crops overwinter or build up in alfalfa before migrating to neighboring crops systems.

Considerable laboratory and field data dealing with chemical, biological, and cultural methods of control of alfalfa insects are available. These data need to be closely interpreted with respect to their implications for integrated control and then applied in integrated pest management programs in the field. The breadth and depth of research on alfalfa insect control and alfalfa production in general have been sufficiently productive to implement some programs now.

To facilitate use of existing literature in developing pest management systems, bibliographies of the key pest species on alfalfa are being prepared for use by researchers. This bibliography on *Sitona* species (Coleoptera: Curculionidae) is the second in a series concerning alfalfa insects of economic importance. This and subsequent bibliographies of arthropods associated with alfalfa are part of an information storage and retrieval system being compiled as one objective of the US/IBP project entitled "The Principles, Strategies, and Tactics of Pest Management Regulation and Control in the Alfalfa Ecosystem." This information system utilizes existing facilities and methodology employed by the University of Illinois Soybean Insect Research and Information Center. SIRIC has developed a set of computer programs for the IBM/360 at the University of Illinois which makes possible the retrieval of literature citations associated with a subject or combination of subjects. The bibliographies of the key alfalfa pests, starting with *Therioaphis maculata* have been stored on magnetic tape and are retrievable using the SIRIC system.

The genus *Sitona* includes a large number of species, many of which are known to be injurious to leguminous crops (Wildermuth 1910).¹ In general, the larvae are

root feeders, whereas adults attack the foliage. Arnett (1962)² reports 17 species of *Sitona* as occurring in the United States. Several species have been introduced into North America from Europe and are now pests on both continents. The crops most commonly attacked are clover, alfalfa, peas, beans, and vetch. The pest species include: *S. lineata* (pea leaf weevil), *S. cylindricollis* (sweetclover weevil), *S. hispidula* (clover root curculio), *S. scissifrons* (lesser alfalfa weevil), and *S. flavescens* (yellow clover curculio).

The clover root curculios eat small crescent-shaped notches on the edges of alfalfa and clover leaves. The larvae feed on the roots, pitting and scarring the surface. They may also burrow into the root, but they do not hollow out the center as the clover root borer does. If feeding is severe, the root may be almost girdled and the plant may die during warm, dry weather. The curculios feed primarily at night and are seldom found on the plants during the day.

Clover root curculios winter mainly as larvae, but a few may spend the winter as adults or eggs. Wintering larvae feed on the roots in early spring and emerge in the spring. The adults feed for a time in the late spring, become inactive during the summer, and feed again in the fall. They lay eggs throughout the fall, often as late as mid-November. Eggs laid late in the season overwinter, but those laid earlier hatch and the larvae overwinter. If all eggs are not deposited in the fall, the adult overwinters and completes egg-laying in the spring. The sweetclover weevil hibernates in ground debris in and around sweet clover fields. With the first warm weather, it begins to feed on the plants, notching the leaves noticeably. The females lay eggs in the spring. The young grub-like larvae feed in clover soils in late May, June, and July. They pupate in late June and July, emerging as adults in July and August. The adults feed moderately in the fall prior to winter hibernation.

The weevils feed on the larvae of sweet clover plants, retarding the spring growth of established stands. Only in rare instances are established stands killed, but weevils will often consume an entire new seeding or seriously

² See reference number 50 in the following bibliography.

This paper, in the Biological Notes series, is published with special project funds. Dr. W. P. Morrison is a Post Doctoral Fellow and Dr. B. C. Pass a Professor of Entomology at the University of Kentucky. M. P. Nichols is a Research Associate, International Programs and Studies, University of Illinois. Dr. E. J. Armbrust is an Associate Entomologist at the Illinois Natural History Survey and Associate Professor of Agricultural Entomology, Illinois Agricultural Experiment Station.

¹ See reference number 570 in the following bibliography.

reduce the stand. The damage is most noticeable in thin stands, but may also occur in heavy stands.

The following reference sources were used to compile the bibliography: *Review of Applied Entomology*, *Biological Abstracts*, *USDA Bibliography of Agriculture*, *Agricultural Index*, and footnotes and literature cited in the references themselves. The bibliography includes all references occurring in these sources and is as complete as possible. There has been no screening of references and therefore, considering the European origin of most pest species, the bibliography includes numerous European publications.

All articles which were in the University of Kentucky and University of Illinois libraries were read and indexed from the publications themselves. Articles which were not available in the libraries or on inter-library loan were indexed from the published abstract or title. These articles which have not been seen are designated by the

symbol #. The references are listed alphabetically by author(s) and numbered consecutively. A subject grid table containing the reference numbers appears following the numbered references. References are arranged according to subject and period of publication. The table is intended as a quick subject index to the references in the bibliography. More in-depth indexing was done for the SIRIC system.

Abbreviations and complete titles of the sources which appear in the bibliographic entries are presented in a listing at the end of the paper. References to most reports in the *USDA Cooperative Economic Insect Report*, *USDA Insect Pest Survey Bulletin*, and *Canadian Insect Pest Review* have not been included.

Mr. Ray Kotek worked in the organization of the files and provided general technical assistance, and O. F. Glissendorf edited the manuscript. Their collaboration is gratefully acknowledged.

BIBLIOGRAPHY

- #1. ANONYMOUS. 1918. Report on the occurrence of insect and fungus pests on plants in England and Wales in the year 1917. Misc. Publ. Bd. Agr. Fish. London 21. 32 p.
- #2. _____. 1920. Report on the occurrence of insect and fungus pests on plants in England and Wales, in the year 1918. Misc. Publ. Bd. Agr. Fish. Intell. Dep. Plant Dis. Br. London 23:5-15, 29-42.
3. _____. 1921/1922. Department of Entomology. Purdue Univ. Agr. Sta. Annu. Rep. 35:28-31. illus.
- #4. _____. 1921. Report of the Institute of Plant Protection for 1923-24. (9th year.) Latvian Cent. Agr. Soc. 62 p.
- #5. _____. 1925. Report of the Institute of Plant Protection for 1924-1925. (In Latvian) Latvian Cent. Agr. Soc. 26 p. illus.
6. _____. 1927. Injurious insects and other pests. Kans. Agr. Exp. Sta. Dir. Rep. 1924-1926:71-84. illus.
7. _____. 1952. DDT stops sweet clover weevils. *Wallaces' Farmer & Iowa Homestead* 77(6):42.
- #8. _____. 1952. De bestrijding van bladrandkever, karwijmot, vlashrips, aardvloen en bietenvlieg. [Control of the pea weevil, the caraway moth, thrips on flax, flea beetles and beet flies.] *Plantenziektenk. Dienst (Wageningen)*. 2 p.
- #9. _____. 1953. De bestrijding van bladrandkever, karwijmot, vlashrips, aardvlo en bietenvlieg. [Control of the pea weevil, the caraway moth, thrips on flax, flea beetles and beet flies.] *Plantenziektenk. Dienst (Wageningen)*. 2 p.
10. _____. 1956. Granular insecticides... new control for sweet clover weevil. *Wallaces' Farmer & Iowa Homestead* 81(6):40.
- #11. _____. 1956. Sweetclover weevils and suggestions for control. *Wash. Agr. Ext. Serv. Ext. Mimeo.* 1762. 2 p.
- #12. _____. 1962. The pea leaf weevil and its control. *Wash. Agr. Ext. Serv. Ext. Mimeo.* 2213. 2 p.
- #13. ACHTERBERG, A. 1949. Sweet clover weevil is a new pest. *Irrig. Farmer* 6(12):1.
- #14. ADLUNG, K. G. 1964. Beobachtungen über das Auftreten von Luzemeschädlingen und ihrer Parasiten. [Observations on the occurrence of lucerne pests and their parasites.] (English summary) *Gesunde Pflanz.* 16(7):136-140. illus. refs.
15. AKESON, W. R., G. L. BELAND, F. A. HASKINS, and H. J. GORZ. 1969. Influence of developmental stage of *Melilotus infesta* leaves on resistance to feeding by the sweetclover weevil. *Crop Sci.* 9(5):667-669. illus. refs.
16. _____. _____. and G. R. MANGLITZ. 1969. Nitrate as a deterrent to feeding by the sweetclover weevil. *J. Econ. Entomol.* 62(5):1169-1172. illus. refs.
17. _____. H. J. GORZ, and F. A. HASKINS. 1969. Sweetclover weevil feeding stimulants: Isolation and identification of glucose, fructose, and sucrose. *Crop Sci.* 9(6):810-812. illus. refs.
18. _____. _____. and _____. 1970. Sweetclover weevil feeding stimulants: Variation in levels of glucose, fructose, and sucrose, in *Melilotus* leaves. *Crop Sci.* 10(5):477-479. illus. refs.
19. _____. _____. and G. R. MANGLITZ. 1968. A water-soluble factor in *Melilotus officinalis* leaves which stimulates feeding by the adult sweetclover weevil. *J. Econ. Entomol.* 61(4):1111-1112. illus. refs.
20. _____. F. A. HASKINS, and H. J. GORZ. 1969. Sweetclover-weevil feeding deterrent B: Isolation and identification. *Science* 163(3864):293-294. illus. refs.
21. _____. _____. and G. R. MANGLITZ. 1968. Water-soluble factors in *Melilotus* leaves which influence feeding by the sweetclover weevil. *Crop Sci.* 8(5):574-576. illus. refs.
22. _____. _____. and _____. 1970. Feeding response of the sweetclover weevil to various sugars and related compounds. *J. Econ. Entomol.* 63(4):1079-1080. illus. refs.
23. _____. G. R. MANGLITZ, H. J. GORZ, and F. A. HASKINS. 1967. A bioassay for detecting compounds which stimulate or deter feeding by the sweetclover weevil. *J. Econ. Entomol.* 60(4):1082-1084. illus. refs.
- #24. ALEKSANDROV, T. F., and I. B. MIKHAILYUK. 1967. Effectiveness of trichlorfon. (In Russian) *Zashch. Rast.* 6:29.
- #25. ALIMZHILANOV, R. 1941. The biology of the nodule weevils under conditions of irrigated lucerne. (In Rus-

- sian) Izv. Uzb. Fil. Akad. Nauk SSSR 4:64-70. illus. refs.
- #26. ALIMDZHANOV, R. A., and R. KHAKIMOVA. 1962. Deistvie ioniziruyushchikh izlucheni na zhukov-vskhodovykh slonikov. [Effect of ionizing radiations on *Sitona* weevils.] Dokl. Akad. Nauk Uzb. SSR 3:65-66.
27. ALLARD, M. E. 1864. Notes pour servir a la classification des Coléoptères du genre *Sitones*. Ann. Soc. Entomol. Fr. (Ser. 4) Tome 4. [v. 33], p. 329-382.
28. ALLEN, A. A. 1962. On the *Sitones lineellus* and *brevicollis* of Fowler, et al. (Col., Curculionidae); with further notes and records. Entomol. Mon. Mag. 98(1172): 10-12. refs.
29. ———. 1965. *Sitona puberulus* Reitt. (Col., Curculionidae) in Ireland and the Isle of Arran; and a comment on the British status of *S. cinerascens* Fahr. Entomol. Mon. Mag. 101(1208-1210): 19. refs.
30. ALLEN, P. G. 1969. *Sitona* weevil. J. Agr. S. Aust. 73(2): 80-81. illus.
31. ALLEN, W. R. 1955. Control of the sweetclover weevil. Can. Dep. Agr. Publ. 943. 4 p. illus.
32. ———. 1959. Control of the sweetclover weevil in Canada. Can. Dep. Agr. Publ. 943 (Rev.). 4 p. illus.
33. ———, and W. L. ASKEV. 1955. Toxicities of certain insecticides to the sweetclover weevil, *Sitona cylindricollis* Fahr. (Coleoptera: Curculionidae), and the protection of seedling crops. Can. J. Agr. Sci. 35(4):344-349. illus. refs.
34. ———, and J. S. KELLEHER. 1951. Experiments on the chemical control of the sweetclover weevil, *Sitona cylindricollis* Fahr. (Coleoptera: Curculionidae). Can. J. Agr. Sci. 34(5):483-487. illus. refs.
- #35. ALLISON, J. L. 1945. Natural control of the destructive sweet clover weevil by a fungus parasite in Wisconsin. Seminar Rep. Univ. Wis. (Unpublished)
36. ———. 1949. Natural control of the destructive sweet-clover weevil *Sitona cylindricollis* Fahr. by an entomogenous fungus parasite. Phytopathology 39(6):501.
37. ANDERSEN, K. T. 1930. Der Einfluss der Temperatur und der Luftfeuchtigkeit auf die Dauer der Eizzeit. I. Beitrag zu einer exakten Biologie des linierten Graurüsslers. (*Sitona lineata* L.). [The influence of temperature and atmospheric moisture on the length of the egg-stage. I. Contribution to an exact biology of *Sitona lineata*.] Z. Morphol. Ökol. Tiere 17(4):649-676. illus. refs.
- #38. ———. 1931. Der linierte Graurüssler oder Blattrandkäfer, *Sitona lineata* L. [The pea weevil, *S. lineata*.] Monogr. Pflanzenschutz 6. 88 p. illus. refs.
39. ———. 1931. Reizphysiologisches Verhalten und Biologie der *Sitona lineata*-Larve. [The physiological behavior towards stimuli and biology of the larva of *S. lineata*.] Z. Vergl. Physiol. 15(4):749-783. illus. refs.
- #40. ———. 1933. Analyse des Schadens und des Massenwechsels des linierten Blattrandkäfers (*Sitona lineata* L.). Seine Bekämpfung und Abwehr. [An analysis of the variation in abundance and injury done by the pea weevil, *Sitona lineata*. Its control and prevention.] Landwirt. Jahrb. 78(1):55-79. illus. refs.
41. ———. 1933. Der Einfluss der Umweltbedingungen (Temperatur und Ernährung) auf die Eierzeugung und Lebensdauer eines Insekts (*Sitona lineata* L.) mit postmetaboler Eientwicklung und langer Legezeit. [The influence of environmental conditions (temperature and food) on egg production and longevity of an insect (*S. lineata*) with postmetabolous egg development and prolonged oviposition period.] Z. Angew. Entomol. 20(1): 85-116. illus. refs.
42. ———. 1934. Experimentelle Untersuchungen über den Einfluss der Temperatur auf die Eierzeugung von Insekten. I. Einfluss konstanter Temperaturen auf die Eierzeugung von *Sitona lineata* L. [Experimental investigations on the influence of temperature on egg production in insects. I. Influence of constant temperatures on the egg production in *Sitona lineata* L.] Biol. Zentralbl. 54(9-10):478-486. illus. refs.
- #43. ———. 1934. Kurze Mitteilungen über weitere Versuche zur Biologie und Oekologie von *Sitona lineata* L. [Brief communications on further experiments on the biology and ecology of *S. lineata*.] Verh. Deut. Ges. Angew. Entomol. 9(1933):42-49. illus.
44. ———. 1935. Experimentelle Untersuchungen über den Einfluss der Temperatur auf die Eierzeugung von Insekten. II. Einfluss inkonstanter Temperaturen auf die Eierzeugung von *Sitona lineata* L. und *Calandra granaria* L. [Experimental investigations on the influence of temperature on egg production in insects. II. Influence of inconstant temperatures on the egg production in *Sitona lineata* L. and *Calandra granaria* L.] Biol. Zentralbl. 55(11-12):571-590. illus. refs.
45. ———. 1936. Wie prägt sich der verschiedene Lebensraum der Freiland- und Vorratsschadinsekten in ihrem biologischen Verhalten aus? [How does the difference on environment of out-door pests and store pests impress itself on their biological behaviour?] Nachr. Schädlingsbekämpf. 11(4):153-170. illus. refs.
46. ———. 1937. Die Blattrandkäfer *Sitona griseus* F. und *Sitona gressorius* F. als Lupinenschädlinge. [*S. griseus* und *Sitona gressorius* as pests of lupins.] Anz. Schädlingsk. 13(7):81-84. illus. refs.
47. ———. 1937. Die Lupinenblattrandkäfer *Sitona griseus* F. und *Sitona gressorius* F. [The lupin leaf weevils, *S. grisea* and *S. gressoria* (in Germany).] Z. Angew. Entomol. 24(3):325-356. illus. refs.
- #48. ANERUD, K. 1956. The pea leaf weevil can become a threat to the clover crop. (In Swedish) Svensk Frötdning 25:106-108.
- #49. ARABADZHIEV, D. 1960. Pests of lucerne and their control. (In Bulgarian) Rastit. Zashit. 8(3):55-59.
50. ARNETT, R. H., Jr. 1960-1962. The beetles of the United States (A manual for identification). The Catholic University of America Press, Washington, D.C. 1112 p. illus. refs.
51. ARRAND, J. C. 1965. Insect and legume seed production. Brit. Columbia Dep. Agr. Publ. 65-7. 4 p. illus.
- #52. AVERIN, V. 1915. A brief review of pests noticed in 1914, and the possibility of their appearance in 1915. (In Russian) Bull. Pests Agr. Meth. Control. 3(1):7-13.
53. AYARS, J. S. 1948. Nothing sweet about the sweet-clover weevil. Successful Farming 46(4):76, 78-80. illus.
- #54. BARANOV, A. D. 1912/1913. Field pests. Materials for the study of the injurious insects of the government of Moscow during the year 1912. (In Russian) Zemstvo Govt. Moscow. p. 83-101.
55. BAUDYŠ, E. 1921. Zpráva o vyskytnutí se škůdců r. 1920. [Pests of 1920.] Čas. Cesk. Společnosti Entomol. 18(3-4): 55-58.
56. BAWDEN, F. C., R. P. CHAUDHURI, and B. KASSANIS. 1951. Some properties of broad-bean mottle virus. Ann. Appl. Biol. 38(4):774-784. illus. refs.
57. BELAND, G. L., W. R. AKESON, and G. R. MANGLITZ. 1970. Influence of plant maturity and plant part on nitrate content of the sweetclover weevil-resistant species *Melilotus infesta*. J. Econ. Entomol. 63(4):1037-1039. illus. refs.

- #58. BELYAEV, I. M. 1934. Pea weevils. (In Russian) Bull. Moskovsk. S.-Kh. Obl. Op. Stantz. Polevod. 2:3-44. illus. refs.
59. BENEDICT, W. G. 1954. Studies on sweet clover failure in southwestern Ontario. Can. J. Bot. 32(1):82-94. illus. refs.
60. BERGGREN, F. 1952. Sweetclover weevils can be controlled by several methods, says Purdue entomologist. Crops Soils Mag. 4(6):28.
61. BERRY, P. A., and H. L. PARKER. 1950. Notes on parasites of *Sitona* in Europe, with special reference to *Campogaster exigua* (Meig.) (Diptera, Larvaevoridae). Proc. Entomol. Soc. Wash. 52(5):251-258. illus. refs.
- #62. BIELSKY, B. I. 1915. Spring remedies for the control of pests of field-crops. (In Russian) Husbandry (Kiev) 12:323-325.
63. BIGGER, J. H. 1930. Notes on the life history of the clover root curculio, *Sitona hispidula* Fab., in central Illinois. J. Econ. Entomol. 23(2):334-342. illus. refs.
64. BIGNOLD, D. P. 1950. The effect of early defoliation on lucerne seedlings. Brit. Grassl. Soc. J. 5(4):281-286. illus.
65. BIOLOGICAL CONTROL INVESTIGATIONS UNIT, DIVISION OF ENTOMOLOGY, CANADA DEPARTMENT OF AGRICULTURE. 1952. Summary of parasite and predator liberation in Canada in 1952. Can. Insect Pest Rev. 30(9):284-296.
66. BIRD, R. D. 1947. The sweetclover weevil, *Sitona cylindricollis* Fahr. Can. Entomol. 79(1):5-11. illus. refs.
67. ———. 1948. The sweetclover weevil. Can. Dep. Agr. Div. Entomol. Processed Publ. 72. 3 p.
68. ———. 1948. The sweet clover weevil. West. Can. Beekeeper. 11(6):13.
69. ———. 1950. Studies in the biology and control of the sweetclover weevil (Coleoptera: Curculionidae) in Manitoba, 1945-1949. Entomol. Soc. Ont. Annu. Rep. 80:31-36. illus. refs.
70. ———. 1952. The biology, ecology, and control of the sweetclover weevil, *Sitona cylindricollis* Fahr., in Manitoba. Proc. N. Cent. Br. Amer. Assoc. Econ. Entomol. 7:31. refs.
- #71. ———, and J. S. KELLEHER. 1949. Natural control of the sweetclover weevil (*S. cylindricollis*). Proc. Entomol. Soc. Manitoba 5:6-7.
- #72. BRZKY, I. G. 1914. Report on the work done at the Baltic Station against pests of cultivated plants by the Central Agricultural Society of Riga for 1913. (In Russian) Cent. Agr. Soc. Riga (Wenden). 28 p.
73. BLAISDELL, F. E., Sr. 1938. A new species of *Sitona* from San Miguel Island (Coleoptera: Curculionidae). Pan-Pac. Entomol. 14(1):31-33.
74. BLATCHLEY, W. S., and C. W. LENG. 1916. *Rhynchophora* or weevils of north eastern America. The Nature Publishing Company, Indianapolis. 682 p. illus. refs.
75. BLATTNY, C. 1938. Erfahrungen über das Fangen von schädlichen Insekten mit Hilfe des Manningerschen Apparates, besonders in bezug auf das Schonen der nützlichen Insekten. [Experiments on catching injurious insects with Manninger's apparatus, with special reference to the preservation of beneficial insects.] In: Bekämpfungsmittel und Bekämpfungsverfahren. [Means and methods of control.] Verh. 7th Int. Kongr. Entomol. (Berlin) 4:2938-2940.
- #76. BOAS, F., and F. MERKENSCHLAGER. 1923. Die Lupine als Objekt der Pflanzenforschung. [The lupin as an object of plant research.] P. Parey, Berlin. 144 p. illus.
- #77. BOGDANOV-KATKOV, N. N. 1921. Petrograd kitchen garden and pests. (In Russian) Petrograd Kitchen Gard. 1:47-78. illus.
- #78. BOGDANOVA-KATKOVA, L. I. 1918. Brief preliminary report of the work of the Entomological Department in 1916. (In Russian) Bull. Entomol. Dep. Nikolaevsk Exp. Sta. 1:43-61. illus.
- #79. BOGUSH, P. P. 1951. Changes in the toxicity of hexachlorane in relation to temperature. (In Russian) Dokl. Vses. Akad. Sel'sko-khoz. Nauk Imeni V. I. Lenina 16(10):39-42. refs.
80. BORG, A. 1967. Ärtvivar (*Sitona*-arter) i odlade baljväxter. En orientande undersökning i Västergötland. [Pea-weevils (*Sitona* spp.) in cultivated legumes. An orientative investigation in Västergötland.] Växtskyddsmotiser 31(5-6):76-79. illus. refs.
- #81. BORODIN, D. N. 1915. The first report on the work of the Entomological Bureau and a review of the pests of the government of Poltava in 1914. (In Russian) Entomol. Bur. Govt. Zemstvo Poltava. 87 p.
- #82. BOVEN, P. 1939. [Survey of the principal pests of cultivated plants in Denmark in 1938.] In: Plantesygdomme i Danmark 1938. [Plant diseases and pests in Denmark in 1938.] Tidsskr. Planteavl 44:37-49. illus.
83. BRAMMANIS, L. 1932. Zur Biologie der Gattung *Sitona* Germ. Z. Angew. Entomol. 19(1):147-151. illus. refs.
84. BREakey, E. P., R. L. WEBSTER, and W. W. BAKER. 1943. Life history and control of the *Sitona* weevil, *Sitona lineata*, in western Washington. In: Fifty-third annual report for the fiscal year ended June 30, 1943. Wash. Agr. Exp. Sta. Bull. 435:41-42.
85. ———, ———, ———, and L. P. ROCKWOOD. 1943. Life history and control of the *Sitona* weevil, *Sitona lineata*, in western Washington. In: Fifty-third annual report for the fiscal year ended June 30, 1943. Wash. Agr. Exp. Sta. Bull. 435:118-119.
86. BREDEMANN, G. 1941. Über die Züchtung heuschrecken-resistenter Pflanzen. [The breeding of locust-resistant plants.] Z. Pflanzenkr. (Pflanzenpathol.) Pflanzenschutz 51(8):337-342. refs.
- #87. BRENY, R. 1948. Le *Sitone* [*Sitona lineatus*] du pois. Bull. Hort. (Liège) (n.s.) 3:71-73, 90.
88. BROWN, W. J. 1940. Notes on the American distribution of some species of Coleoptera common to the European and North American continents. Can. Entomol. 72(4):65-78. refs.
89. CAESAR, L. 1935. Notes on a new or hitherto unrecorded pest of sweet clover in Ontario. Entomol. Soc. Ont. Annu. Rep. 66:54-56.
90. CALKINS, C. O. 1964. Factors influencing rate of feeding by the sweetclover weevil adult. Proc. N. Cent. Br. Entomol. Soc. Amer. 19:66.
91. ———. 1969. Effect of temperature, light, and date of collection on the feeding rate of the sweetclover weevil. J. Econ. Entomol. 62(1):169-171. illus. refs.
92. ———, and G. R. MANGLITZ. 1968. Seasonal changes in daily activity periods of the sweetclover weevil. J. Econ. Entomol. 61(2):391-394. illus. refs.
- #93. CALLES, J. Y. ?1947. Quelques résultats obtenus dans la lutte contre les insectes parasites des plantes cultivées au moyen du DDT. Rep. 1st Int. Congr. Plant Prot. Heverlee 1946:423-428.
94. CHADWICK, C. E. 1960. *Sitona humeralis* Steph. (Coleoptera: Curculionidae) recorded from New South Wales. Aust. J. Sci. 22(11):453-455. refs.
95. CHAMBERLIN, T. R., and C. L. FLUKE. 1943. DN sulfur

- dust appears effective against the sweetclover weevil. J. Econ. Entomol. 36(5):797.
96. CHATER, E. H. 1931. A contribution to the study of the natural control of gorse. Bull. Entomol. Res. 22(2):225-235. illus.
- #97. CHORBADZHIEV, P. 1928. Reports on pests of cultivated plants in Bulgaria during 1926. (In Bulgarian.) Rapp. Annu. Inst. Rech. Agron. Sofia 1926:175-241. refs.
98. CONNIN, R. V., H. J. GORZ, and C. O. GARDNER. 1958. Greenhouse technique for evaluating sweetclover weevils' preference for seedling sweetclover plants. J. Econ. Entomol. 51(2):190-193. illus. refs.
99. COPLEY, G. H. 1926. The pea weevil. In: Vegetable garden. Gard. Chron. (Ser. 3) 79(2046):198.
100. CORY, E. N. 1914. Insect pests of 1914. Md. State Hort. Soc. Annu. Rep. 17:104-112. illus. refs.
101. CREBERT, H. 1928. Der Blattrandkäfer (*Sitona lineata*) als Hülsenfruchtschädling. [*S. lineata* as a pest of pulse crops.] Z. Pflanzenkr. Pflanzenschutz 38(11-12):322-326. illus.
102. CROW, W. R., B. PUTTLER, and D. M. DAUGHERTY. 1968. *Beauveria bassiana* infecting adult clover root curculios in Missouri. J. Econ. Entomol. 61(2):576-577. refs.
- #103. DANTHANARAYANA, W. 1965. The biology and population dynamics of *Sitona regensteiniensis* Hbst. (Col.: Curculionidae). Ph.D. Diss., University of London. 205 p. illus. refs.
104. ———. 1967. Host specificity of *Sitona* beetles. Nature 213(5081):1153-1151. illus. refs.
105. ———. 1969. Population dynamics of the weevil *Sitona regensteiniensis* (Hbst.) on broom. J. Anim. Ecol. 38(1):1-18. illus. refs.
106. ———. 1970. Studies on the dispersal and migration of *Sitona regensteiniensis* (Coleoptera: Curculionidae). Entomol. Exp. Appl. 13(3):236-246. illus. refs.
107. DAVEY, K. G. 1955. Importance of the sweetclover weevil in spread of sweet clover root rot in southwestern Ontario. Can. J. Agr. Sci. 35(6):606-608. refs.
108. ———. 1956. The physiology of dormancy in the sweetclover weevil. Can. J. Zool. 34(2):86-98. illus. refs.
109. DAVIES, W. 1950. Lucerne and the *Sitona* weevil. Agriculture (London) 57(7):308-309.
- #110. DAVUDOV, A. I. 1929. Control of agricultural pests in the Leningrad government. (In Russian.) Df. Plantas 5 (1928) (5-6):629-644.
111. DEAN, G. A. 1916. Insects injurious to alfalfa. Kans. State Agr. Coll. Ext. Bull. 5. 36 p. illus. refs.
112. ———, and R. C. SMITH. 1933/1934. Insects injurious to alfalfa in Kansas. Kans. State Bd. Agr. Bicn. Rep. 29:202-249. illus.
113. DECKER, G. C. 1946. Agricultural applications of DDT, with special reference to the importance of residues. J. Econ. Entomol. 39(5):557-562.
- #114. DERYABIN, V. I., and P. A. ARKHINOV. 1962. Profilakticheskaya zashchita vskodov lyuterny. [Preventive protection of lucerne shoots.] Sel. Khoz. Uzb. 2:26-28.
115. DESILEM, F. E. 1945. Potential significance of *Sitona lineata*. In: Proceedings of the twenty-fourth and twenty-fifth annual conferences, Western Plant Board. Calif. Dep. Agr. Spec. Publ. 209:28-30.
- #116. DICKASON, E. A., and C. M. LEACH. 1957. Clover root curculio control in alsike clover. Proc. Oreg. Seed Growers' League. 17:71.
117. ———, ———, and A. E. GROSS. 1958. Control of the clover root curculio on alsike clover. J. Econ. Entomol. 51(4):554-555. illus. refs.
118. ———, ———, and ———. 1968. Clover root curculio injury and vascular decay of alfalfa roots. J. Econ. Entomol. 61(5):1163-1168. illus. refs.
119. DICKLER, E. 1968. Untersuchungen zur Besiedlung von wiesennahen Leguminosenkulturen durch Rüsselkäfer. [Investigations on the colonisation by weevils of fields of leguminous crops in the vicinity of meadows.] Z. Angew. Zool. 55(2):129-192. illus. refs.
- #120. DIVOUX, R., and P. BROUSSE. 1967. Les ennemis du pois de conserve dans le Nord de la France. [The enemies of peas for canning in the North of France.] Phytoma 19 (187):35-40. illus. refs.
- #121. DOBRODEEV, A. 1915. Pea weevils, *Sitones crinitus*, Ol., and *Sitones lineatus*, L., and methods of controlling them. (In Russian.) Mem. Bur. Entomol. Sci. Comm. Min. Agr. (Petrograd) 11(8). 32 p. illus.
- #122. DOBROSMUISLOV, D., and A. MEGALOV. 1936. Effect of low percentage and standard calcium arsenite on grasshoppers and other insect pests. (In Russian.) Socialistic Grain Farming 6(3):94-101.
- #123. DOBROVILANSKY, V. V. 1915. Report of the Entomological Section. Report on the work of the Kiev Station for the control of pests and plants of the South-Russian Agricultural Syndicate for 1914. (In Russian.) Husbandry (Kiev) 18:532-539; 19:564-568; 20:594-599; 21:621-626; 22:655-660; 23-24:697-702; 27-28:763-766. illus.
124. DORN, K. 1953. Schädliche und nützliche Insekten an den Arznei- und Gewürzpflanzenbeständen der Zweigstelle Leipzig-Probstei des Sortenamtes für Nutzpflanzen. [Harmful and useful insects in the medicinal and condiment plant stocks of the Leipzig-Probstei branch department of the Sorts Office for Economic Plants.] Die Pharmazie 8(9):747-751.
125. DOWNES, W. 1938. The occurrence of *Sitona lineatus* L. in British Columbia. Can. Entomol. 70(1):22.
126. DUNN, G. M., R. A. KILPATRICK, and H. S. CHOW. 1964. Effects of dieldrin and methyl bromide on *Sitona* larvae and root rot of white clover. Crop Sci. 4(3):276-279. illus. refs.
127. EASTON, A. M. 1963. *Sitona cambricus* Stephens and *S. breviostris* Solari (Col., Curculionidae). Entomol. Mon. Mag. 99(1191-1193):138.
- #128. EICHLER, W. 1950. Der Blattrandkäfer. Karteikurzer. Landwirt. 5:20.
129. EL-DESSOUKI, S. A. 1971. Der Einfluss von Larven der Gattung *Sitona* (Col., Curculionidae) auf einige Leguminosen. [The effect of the larvae of the genus *Sitona* (Col., Curculionidae) on some leguminous plants.] Z. Angew. Entomol. 67(4):411-431. illus. refs.
130. ———, and W. STEIN. 1970. Intraspecific competition between larvae of *Sitona* spp. (Col., Curculionidae). Öcologia (Berlin) 6(1):106-108. illus. refs.
131. ELLINGBOE, A. H., M. F. KERNKAMP, and B. A. HAWS. 1957. Sweetclover weevil parasitized by *Beauveria bassiana* (Bals.) Vuill. in Minnesota. J. Econ. Entomol. 50(2):173-174. illus. refs.
132. ELLIOTT, E. S. 1952. Diseases, insects, and other factors in relation to red clover failure in West Virginia. W.Va. Agr. Exp. Sta. Bull. 351T. 65 p. illus. refs.
- #133. ERDÉLYI, C. 1967. Csalogatószegety alkalmazása a lucerna rovarkártévi elleni védekezésben. [The use of border strips as a bait for controlling insect pests of lucerne.] In: L. Szalay-Marosz, Ed., A XVII. Növényvédelmi tudományos értekezlet. Valogatott anyaga. I. Kötet. [The XVIIth scientific conference on plant protec-

- tion. Selected material. Vol. I.] Magyar Agrártudom. Egyesület Agrotörzst Kiad, Budapest, p. 121-125.
134. FARRAR, M. D., and G. M. ANDERSON. 1953. A new pest of blue lupine. J. Econ. Entomol. 46(1):169-170. illus.
 135. ———, and J. C. HICKLEMAN. 1943. Sweet clover and sweet clover weevil for 1943. Amer. Bee J. 83(2):63.
 - #136. ———, and ———. 1944. Sweet clover and sweet clover weevil for 1944. Ill. Agr. Coll. Ext. (Processed) NH196. 2 p.
 - #137. FEDORKO, J. 1965. Badania nad ryjkowcami (Col. Curculionidae) na uprawie koniczyzny czerwonej (*Trifolium pratense* L.) w okolicy Lublina. [Studies on Curculionids on red clover (*T. pratense*) in the vicinity of Lublin.] Ann. Univ. Mariae Curie-Skłodowska Sect. C Biol. 20: 45-71. illus. refs.
 - #138. FERDINANDSEN, C., J. LIND, and S. ROSTRUP. 1919. Oversigt over havebrugplanternes sygdomme i 1916 og 1917. [Report on insect pests and fungus diseases of the field and orchard in 1916 and 1917.] Tidsskr. Planteavl 26:297-334.
 - #139. ———, and S. ROSTRUP. 1919. Oversigt over sygdomme hos landbrugets og havebrugets kulturplanter i 1918. [Report on insect pests and fungus diseases of the field and orchard in 1918.] Tidsskr. Planteavl 26:683-733.
 - #140. ———, and ———. 1920. Oversigt over sygdomme hos landbrugets og havebrugets kulturplanter i 1919. [Report on insect pests and fungus diseases of the field and orchard in 1919.] Tidsskr. Planteavl 27:399-450.
 - #141. ———, and ———. 1921. Oversigt over sygdomme hos landbrugets og havebrugets kulturplanter i 1920. [Report on insect pests and fungus diseases of the field and orchard in 1920.] Tidsskr. Planteavl 27:697-759.
 142. FOLSON, J. W. 1909. The insect pests of clover and alfalfa. Ill. Agr. Exp. Sta. Bull. 134:111-197. illus. refs.
 143. FOLWACZNY, B. 1965. Faunistische diversa. Entomol. Blätter 61(2):126-127.
 144. FORSYTHE, H. Y., JR., and G. G. GYRISCO. 1962. Evaluating the control of the clover root curculio larva on alfalfa. J. Econ. Entomol. 55(6):906-908. illus. refs.
 - #145. FRANSSEN, C. J. H. 1953. Mode of life and control of the pea weevil. (In Dutch) Landbouwlichtingsdienst. Landbouwlichting. 10:72-79. refs.
 - #146. ———. 1955. Control of the pea leaf weevil with parathion. (In Dutch) Landbouwlichtingsdienst. Landbouwlichting. 12:191-196.
 - #147. ———. 1955. De levenswijze en de bestrijding van de vroege akkerthrips (*Thrips angusticeps* Uzel.). [The bionomics and control of *T. angusticeps*.] (English summary) Tijdschr. Plantenziekten 61(3):97-102. refs.
 148. FRANZ, E. 1943. Der Erbsen-Blattrandkäfer (*Sitona lineata* L.). Natur Volk 73(11-12):307-308. illus. refs.
 149. FRIEDRICH, V. J. 1965. A review of characters used in the identification of North Central States' *Sitona* Germar (Coleoptera, Curculionidae). J. Minn. Acad. Sci. 33(1): 20-22. illus. refs.
 - #150. FRYER, J. C. F., et al. 1921. Report on the occurrence of insect and fungus pests on plants in England and Wales for the year 1919. Misc. Publ. Min. Agr. Fish. London 33:6-25.
 - #151. GAEDIKE, R. 1971. Zur Kenntnis der Arten der *Sitona*-Untergattung *Charagmus* Schoenherr (Col. Curculionidae). [On the species of the *Sitona* subgenus *Charagmus* Schoenherr (Coleoptera Curculionidae).] Entomol. Nachr. 15(5):41-51. illus.
 - #152. GARDINER, J. G. 1944/1945. Report of the forest nursery station, Sutherland, Saskatchewan. Rep. Min. Agr. Dominion Can. year ended March 31, 1945, p. 129-131.
 153. GARTHE, W. A. 1970. Development of the female reproductive system and effect of males on oocyte production in *Sitona cylindricollis* (Coleoptera: Curculionidae). Ann. Entomol. Soc. Amer. 63(2):367-370. illus. refs.
 154. GENTRY, J. W. 1955. Beetle pest conditions. Coleopt. Bull. 9(2):25.
 - #155. GEOFFRION, R. 1957. Le *Sitona* du pois. Phytoma 9(90): 26-27.
 156. GEORGE, K. S. 1962. Root nodule damage by larvae of *Sitona lineatus* and its effect on yield of green peas. Plant Pathol. 11(4):172-176. illus. refs.
 157. ———, W. I. ST. G. LIGHT, and R. GAIR. 1962. The effect of artificial defoliation of pea plants on the yield of shelled peas. Plant Pathol. 11(2):73-80. illus. refs.
 - #158. GHILAROV [GILYAROV], M. S. 1945. Principal properties of injurious insects surviving in field crop-rotations. (In Russian) Dokl. Akad. Nauk SSSR 47(3):217-220. refs.
 - #159. GILYAROV, M. 1940. Resistance of *Vicia pannonica* to the injuries caused by *Sitona* spp. (In Russian) Bull. Plant. Prot. (Leningrad) 3:39-40.
 160. GOBLE, H. W. 1936. The sweet clover weevil. Entomol. Soc. Ont. Annu. Rep. 67:35-37.
 - #161. GOJMERAC, W. L. 1965. Controlling strawberry root weevil and sweetclover weevil. Wis. Univ. Ext. Serv. Spec. Circ. 109. 4 p.
 162. GONZALEZ, M. 1971. Contribución al conocimiento de los curculionidos del Mediterraneo Occidental: X. Una nueva *Sitona* Germar ibérica. [Contribution to the knowledge of the Curculionidae of the western Mediterranean: X. A new Iberian *Sitona* Germar.] Misc. Zool. 3(1): 53-56. illus. refs.
 163. GORBUONOVA, N. N. 1953. The lupine snout beetle. (In Russian) Priroda (Moskva) 42(11):105-106. illus.
 - #164. GORJAINOV, A. A. 1914. The pests of agricultural plants in the government of Riazan. (In Russian) Zemstvo Govt. Riazan. 67 p.
 - #165. GORIATCHIKOVSKY, V. I. 1914. Pests of cultivated plants in 1914. (In Polish) Warsaw Hort. Soc. Annu. 1914: 64-74.
 166. GORZ, H. J., G. R. MANGLITZ, and F. A. HASKINS. 1965. Found—A weevil resistant sweetclover species. Nebr. Exp. Sta. Quart. 11(4):8-9. illus.
 167. GRAHAM, J. H., and R. C. NEWTON. 1959. Relationship between root feeding insects and incidence of crown and root rot in red clover. Plant Dis. Rep. 43(10):1114-1116. illus.
 168. ———, and ———. 1960. Relationship between injury by the clover root curculio and incidence of Fusarium root rot in Ladino white clover. Plant Dis. Rep. 44(7):534-535. illus. refs.
 - #169. GRAM, E., and S. ROSTRUP. 1924. Oversigt over sygdomme hos landbrugets og havebrugets kulturplanter i 1923. [Report on plant diseases and pests in Denmark in 1923.] (English summary) Tidsskr. Planteavl 30:361-414.
 - #170. ———, and ———. 1925. Oversigt over sygdomme hos landbrugets og havebrugets kulturplanter i 1924. [Report on plant diseases and pests in Denmark in 1924.] (English summary) Tidsskr. Planteavl 31:353-417.
 - #171. GRANDI, G. 1913. Descrizione della larva e della pupa della *Sitona humeralis*, Steph. ed osservazioni sulla morfologia dell'adulto della medesima specie. [Description of the larva and pupa of *Sitona humeralis*, Steph., and remarks on the morphology of the adult of the same species.] Boll. Lab. Zool. Gen. Agr. R. Scuola Super. Agr. Portici 7:93-100. illus.

- # 172. GRECHKA, M. I. 1950. Use of DDT and benzene hexachloride in the control of field crop pests. (In Russian) Dokl. Mosk. Sel'sko-khoz. Akad. Imeni K. A. Timiryazeva 12:195-199.
- # 173. ———. 1964. Chemical methods in protection of legumes against pests. (In Russian) Dokl. Mosk. Sel'sko-khoz. Akad. Imeni K. A. Timiryazeva 99:447-450.
174. GREENUP, L. R. 1967. The *Sitona* weevil—a pest of lucerne (*Sitona humeralis*). Agr. Gaz. N. S. W. 78(9): 528-529. illus.
- # 175. GRIGOROV, S. P. 1956. Investigations of biology, damage, and control measures of the most prevalent species of the genus *Sitona* Germ. in Bulgaria. (In Bulgarian) Visshe Selskостопanski Inst. "Georgi Dimitrov" Agron. Fakul. Nauch. Trudove 3:325-434. refs.
176. GROSS, A. T. H., and G. A. STEVENSON. 1964. Resistance in *Melilotus* species to the sweetclover weevil (*Sitona cylindricollis*). Can. J. Plant Sci. 44(5):487-488. refs.
- # 177. GROSSHEIM, N. A. 1928. Data for the study of the genus *Sitona*, Germ. (In Russian) Micev Hort. Exp. Sta. Bull. 17. 57 p. illus.
178. GUPPY, J. C. 1958. Insect surveys of clovers, alfalfa, and birdsfoot trefoil in eastern Ontario. Can. Entomol. 90(9):523-531. illus. refs.
179. GUYER, G., H. NIEMCZYK, W. VAN VELZEN, M. B. TESAR, and R. L. COOPER. 1961. The magnitude and control of the insect populations on red clover, Ingham County, Michigan. Mich. Agr. Exp. Sta. Quart. Bull. 43(4):796-807. illus. refs.
180. GYÖRY, J., and G. REICHART. 1964/1965. Madártáplálkozás-vizsgálatok jelentősebb erdő- és mezőgazdasági kártevők tömeges megjelenése idején. [Investigations on the food of birds during mass occurrence of major pests of forestry and agriculture.] Aquila 71-72:67-98. illus. refs.
181. GYRISCO, G. G. 1958. Forage insects and their control. Annu. Rev. Entomol. 3:421-448. refs.
- # 182. ———, C. S. KOEHLER, H. H. SHOREY, E. W. HUDLESTON, and R. L. RIDGWAY. 1957. Recommendations for the control of insects of forage and cereal crops in New York. FCI Mimeo. 7 (Rev.). 51 p.
183. ———, and D. S. MARSHALL. 1950. The control of insects of alfalfa and red clover in New York. J. Econ. Entomol. 43(4):438-443. illus.
- # 184. HANNOUHAUX, M. 1965. Observations sur les ennemis des cultures fourragères en Tunisie. [Observations on the pests of forage crops in Tunisia.] Bull. Ecol. Super. Agr. Tunis 8-9:231-245. illus. refs.
- # 185. HANS, H. 1956. Beiträge zur Biologie von *Sitona lineatus* L. Diss. Göttinger. 89 p.
186. ———. 1959. Beiträge zur Biologie von *Sitona lineatus* L. [Contributions to the bionomics of *S. lineatus*.] Z. Angew. Entomol. 44(4):343-386. illus. refs.
187. ———. 1961. Termination of diapause and continuous laboratory rearing of the sweet clover weevil, *Sitona cylindricollis* Fabr. Entomol. Exp. Appl. 4(1):41-46. illus. refs.
188. ———, and A. J. THORSTEINSON. 1961. The influence of physical factors and host plant odour on the induction and termination of dispersal flights in *Sitona cylindricollis* Fabr. Entomol. Exp. Appl. 4(2):165-177. illus. refs.
189. HANSEN, H. L., and C. K. DORSEY. 1957. Effects of granular dieldrin and heptachlor on adult weevil populations in red clover. J. Econ. Entomol. 50(2):224. refs.
190. HARRIS, J. S. 1947. Tetracthyl pyrophosphate. Agr. Chem. 2(10):27-29, 65-66. illus. refs.
191. HASTINGS, E., and J. H. PEPPER. 1949. Field tests with new insecticides for control of the alfalfa weevil. J. Econ. Entomol. 42(3):554-555. illus.
192. HATCH, M. II. 1971. The beetles of the Pacific Northwest. Part V. Rhipiceroidae, Sternoxi, Phytophaga, Rhynchophora, and Lamellicornia. Univ. Wash. Publ. Biol. 16(5): 662 p. illus. refs.
193. HAVES, B. A. 1954. Sweetclover insects. Proc. N. Cent. Br. Entomol. Soc. Amer. 9:30-32. illus. refs.
- # 194. ———, and F. G. HOLDAWAY. 1954. Sweetclover weevil and its control in Minnesota. Minn. Agr. Ext. Serv. Ext. Fold. 180. 8 p. illus.
195. ———, and ———. 1955. Sweetclover weevil and its control in Minnesota. Minn. Agr. Ext. Serv. Ext. Fold. 180 (Rev.). 8 p. illus.
196. ———, and ———. 1958. Sweetclover weevil and its control in Minnesota. Minn. Agr. Ext. Serv. Ext. Fold. 180 (Rev.). 8 p. illus.
- # 197. HEDLIN, L. K. 1965. Laboratory evaluation of plant resistance to the sweetclover weevil (*Sitona cylindricollis* Fabr.) in *Melilotus* and factors involved in the selection of host material by the weevil. M.S. Thesis, University of Minnesota.
198. ———, and E. B. RADCLIFFE. 1966. Resistance of sweetclover to the sweetclover weevil. Proc. N. Cent. Br. Entomol. Soc. Amer. 21:128-132. illus. refs.
199. ———, ———, and F. G. HOLDAWAY. 1964. Laboratory evaluation of plant resistance to sweetclover weevil in *Melilotus*. Proc. N. Cent. Br. Entomol. Soc. Amer. 19:66-67.
200. HERRON, J. C. 1951. The biology and control of the sweetclover weevil in Ohio. Proc. N. Cent. Br. Amer. Assoc. Econ. Entomol. 6:66-68. illus.
201. ———. 1952. Control of sweet clover weevil in Ohio. J. Econ. Entomol. 45(2):316-319. illus. refs.
202. ———. 1953. Biology of the sweet clover weevil and notes on the biology of the clover root curculio. Ohio J. Sci. 53(2):105-112. illus. refs.
- # 203. ———. 1957. The biology and control of the sweet clover weevil in Ohio. Ph.D. Diss., Ohio State University.
- # 204. HEUVER, M. 1959. Verslagen van de proeven over de rentabiliteit van de bestrijding van de bladrandkever en de vroege akkertrips bij erwten in 1958 (serie 204) en van de erwtenknopmide in 1958 (serie 205). [Report on the economics of the control of the pea weevil and the early field thrips in 1958 (series 204) and the pea midge in 1958 (series 205).] Wageningen Proefsta. Akker-Weideb. Gestencilde Versl. Interprov. Proeven 66. 11 p.
- # 205. ———. 1960. Verslag van de proeven over de rentabiliteit van de bestrijding van de bladrandkever en de vroege akkertrips bij erwten in 1959 (serie 204); verslag van de proeven over de rentabiliteit van de bestrijding van de erwtenknopmide in 1959 (serie 205). [Report of tests on the economics of the control of the pea weevil and the early field thrips in 1959 (series 204); report of tests on the economics of the control of the pea midge in 1959 (series 205).] Wageningen Proefsta. Akker-Weideb. Gestencilde Versl. Interprov. Proeven 76. 8 p.
206. HILDRE, G. 1955. The effect of simulated sweetclover weevil damage to sweetclover seedlings in the greenhouse. Proc. N. Dak. Acad. Sci. 9:22-25. illus. refs.
207. HILL, R. R., JR., J. J. MURRAY, and K. E. ZEIDERS. 1971. Relationships between clover root curculio injury and severity of bacterial wilt in alfalfa. Crop Sci. 11(2): 306-307. illus. refs.
208. ———, R. C. NEWTON, K. E. ZEIDERS, and J. II. ELGIN, JR. 1969. Relationships of the clover root cur-

- culio, *Fusarium* wilt, and bacterial wilt in alfalfa. Crop Sci. 9(3):327-329. illus. refs.
209. HODSON, W. E. H., and A. BEAUMONT. 1927. Third annual report of the Department of Plant Pathology for the year ending September 30th, 1926. Seale-Hayne Agr. Coll. Pamph. 21. 25 p.
210. ———, and ———. 1929. Fifth annual report of the Department of Plant Pathology for the year ending September 30th, 1928. Seale-Hayne Agr. Coll. Pamph. 30. 41 p. illus.
211. ———, and ———. 1931. Seventh annual report of the Department of Plant Pathology for the year ending September 30th, 1930. Seale-Hayne Agr. Coll. Pamph. 36. 36 p. illus.
212. HOFFMANN, A. 1929. Un *Sitones* nouveau pour la faune française (Col. Curculionidae). Bull. Soc. Entomol. Fr. 1929(6):115-116.
213. ———. 1950. Coléoptères Curculionides (Première partie). Faune Fr. 52. 486 p. illus. refs. maps.
214. ———. 1950. Curculionides marocains inédits ou peu connus. Bull. Soc. Entomol. Fr. 55(6):83-93. illus. refs.
215. ———. 1952. Curculionides inédits du nord de l'Afrique. Bull. Soc. Entomol. Fr. 57(9):134-143. illus.
216. ———. 1956. Curculionides nouveaux et remarques sur diverses espèces de cette famille (Coleopt.). [New Curculionidae and remarks on some species of that family.] Rev. Fr. Entomol. 23(3):165-173. illus. refs.
217. ———. 1957. Nouveautés et observations concernant des espèces des genres: *Sitona*, *Tychius*, *Gymnetron*, et *Apion* (Col., Curc.). [Novelties and observations on some species of the genera *Sitona*, *Tychius*, *Gymnetron*, and *Apion*.] Rev. Fr. Entomol. 24(1):50-59. illus.
218. HOWE, W. L., and G. R. MANGLITZ. 1959. Insect-resistant crops. Nebr. Exp. Sta. Quart. 6(2):3-5. illus. refs.
219. HUDSON, H. F. 1925. Egg studies of the clover leaf curculio *Sitones hispidula* Fab. Entomol. Soc. Ont. Annu. Rep. 56:79.
- #220. HUSTACHE, A. 1944. Coléoptères nouveaux du Maroc et de l'Algérie (16^e note). Bull. Soc. Sci. Natur. Phys. Maroc 24:44-81.
221. HYSLOP, J. A. 1934. Insect findings of recent years which are or may become of interest to nursery inspectors and plant quarantine officers. J. Econ. Entomol. 27(3):559-566.
- #222. ISART, J. 1968. Sobre las principales plagas de la remolacha en el Alto Aragón. [On the principal pests of beet in Upper Aragon.] Pirineos 79-80(1966):243-251. refs.
223. JACKSON, D. J. 1920. Bionomics of weevils of the genus *Sitones* injurious to leguminous crops in Britain. Ann. Appl. Biol. 7(2-3):269-298. illus. refs.
224. ———. 1921. Notes on the distribution of weevils of the genus *Sitona* in the North of Scotland. Scot. Natur. 119-120:178.
225. ———. 1922. Bionomics of weevils of genus *Sitona* injurious to leguminous crops in Britain. Part II. *Sitona hispidula* F., *S. sulcifrons* Thun., and *S. crinita* Herbst. Ann. Appl. Biol. 9(2):93-115. illus. refs.
226. ———. 1922. Further observations on *Sitones lineatus* L. Ann. Appl. Biol. 9(1):69-71. illus. refs.
227. ———. 1924. Insect parasite of the pea-weevil. Nature 113(2836):353-354. refs.
228. ———. 1926. The inheritance of brachypterous and macropterous wings in *Sitona hispidula*. Nature 118(2962):192-193. illus.
229. ———. 1927/1928. The inheritance of long and short wings in the weevil *Sitona hispidula*, with a discussion of wing reduction among beetles. Trans. Roy. Soc. Edinburgh 55(3):665-735. illus. refs.
230. ———. 1928. The biology of *Dinocampus* (*Perilitus*) *rutilus* Nees, a braconid parasite of *Sitona lineata* L., — Part I. Proc. Zool. Soc. London 1928(2):597-630. illus. refs.
231. ———. 1933. Observations on the flight muscles of *Sitona* weevils. Ann. Appl. Biol. 20(4):731-770. illus. refs.
232. ———. 1934. Parasites of weevils of the genus *Sitona*. Scot. Natur. 207:75-79. refs.
233. ———. 1935. Giant cells in insects parasitised by hymenopterous larvae. Nature 135(3425):1040-1041. refs.
234. JANSSON, A. 1927. Coleopterologiska bidrag. 13-15. [Coleopterological contributions.] Entomol. Tidskr. 48(1):25-34. refs.
- #235. JARY, S. G., and M. D. AUSTIN. 1937. Department of Entomology (Report 1935-36). J. Southeast. Agr. Coll. Wye 39:9-15. refs.
236. JENKINS, J. R. W. 1926. Notes on the insect pests of red clover in mid and west Wales. Welsh J. Agr. 2:221-228. illus.
237. JEWETT, H. H. 1931. The clover root curculio. Ky. Agr. Exp. Sta. Circ. 42:13-23. illus. refs.
238. JUDD, W. W. 1964. A weevil in the ear of child at London, Ontario. Can. Field Natur. 78(1):61-62. refs.
- #239. KADOCSA, G. 1923. Mezőgazdasági növényeink fontosabb állati ellenségei. [The more important animal enemies of our agricultural plants. Their bionomics, predations and control.] Budapest. 186 p. illus.
240. KALMBACH, E. R. 1918. The crow and its relation to man. U.S. Dep. Agr. Bull. 621. 93 p. illus. refs. maps.
241. ———, and I. N. GABRIELSON. 1921. Economic value of the starling in the United States. U.S. Dep. Agr. Bull. 868. 66 p. illus. refs. maps.
242. KARPOVA, A. I. 1945. Insects injurious to alfalfa in the Hissar range of Tadzhikistan. (In Russian—English summary) Entomol. Obozrenie 28(1-2):1-7. refs.
- #243. KAZANSKI, A. N. 1924. A short report on the activities of the Ivanov-Voznesenski station for the protection of plants from pests during the summer period of 1924. (In Russian) Dëf. Planets 1(3-5):78-82.
244. KELLEHER, J. S. 1954. Damage to sweet clover seed by the sweetclover weevil, *Sitona cylindricollis* Fabr. (Coleoptera: Curculionidae). Can. Entomol. 86(4):179-180. illus.
- #245. KEMNER, N. A. 1917. Ärtviveln (*Sitona lineata* L.). Centralanst. Jordbruksf. 63:?
- #246. ———. 1917. Ärtviveln (*Sitona lineatus* L.). Entomol. Avd. 16. 4 p. illus.
247. KERR, T. W., JR., and I. H. STUCKEY. 1956. Insects attacking red clover in Rhode Island and their control. J. Econ. Entomol. 49(3):371-375. illus.
248. KEVAN, D. K. 1959. The British species of the genus *Sitona* Germar (Col., Curculionidae). Entomol. Mon. Mag. 95(1146):251-261. illus. refs.
249. ———. 1962. *Sitona lineellus* Auctt. and *S. decipiens* Lindberg (Col., Curculionidae): A change of nomenclature. Entomol. Mon. Mag. 98(1177-1179):171. refs.
250. ———. 1963. *Sitona brevisrostris* Solari (Col., Curculionidae) new to the British list. Entomol. Mon. Mag. 99(1184-1186):39-41. illus. refs.
251. ———. 1964. Further notes on the *cambicus*-group of the genus *Sitona* Germar (Col., Curculionidae). Entomol. Mon. Mag. 100(1198-1199):91-93. illus. refs.

- #252. KILIĆ, A. U., A. CATALPINAR, and N. ADIGÜZEL. 1968. Mercimek hortumlu böceğinin bio-ekolojisi ve mücadele metodları üzerindeki araştırmalar. [Investigations on the bionomics and control of *Sitona crinitus*.] Bitki Koruma Bül. 8(1):61-73. illus. refs.
253. KILPATRICK, R. A. 1961. Fungi associated with larvae of *Sitona* spp. Phytopathology 51(9):640-641. illus. refs.
254. ———, and G. M. DUNN. 1958. Observations on insects and fungi associated with taproot survival of white clover in New Hampshire. Plant Dis. Rep. 42(6):819-820.
255. KLEINE, R. 1920. *Sitones lineatus* L. Entomol. Blätter 15(10-12):251.
256. KNOWLTON, G. F. 1954. Sweet clover weevil... new pest in Utah. Farm Home Sci. 15(3):71. illus.
- #257. KORORIN, A. N. 1960. On the biological basis of control measures against pests of clover of the order Coleoptera. (In Russian) Tr. Vses. Inst. Zashch. Rast. 14:13-30. illus. refs.
- #258. ———. 1964. On the effects of late ploughing of clover fields on the numbers of overwintering clover pests. (In Russian — English summary) Tr. Vses. Inst. Zashch. Rast. 21(1):80-88. refs.
- #259. ———. 1964. Pests of clover seed crops. (In Russian) Tr. Vses. Inst. Zashch. Rast. 20(2):61-63.
- #260. KOLOSSOV, J. M. 1915. Review of the pests of field crops and forests of the Ural. (In Russian) Bull. Soc. Ouralienné Amis Sci. Natur. 34(11-12):133-164.
261. KORNFIELD, A. 1935. Schädigungen und Krankheiten der Öbbohne (Soja), soweit sie bisher in Europa bekannt geworden sind. [Injuries to and diseases of the soy bean, so far as hitherto known in Europe.] Z. Pflanzenkr. (Pflanzenpathol.) Pflanzenschutz 45(12):577-613. illus. refs.
- #262. KOURMOUSSIS, A. G. 1952. Rapport sur les travaux de lutte contre le *Sitona limosus* Rossi, ennemi des légumineuses dans la Morée. Ann. Inst. Phytopathol. Benaki 6(1):23-31. refs.
- #263. KOVAČEVIĆ, Ž. 1928. Ueber die wichtigsten Schädlinge der Kulturpflanzen in Slawonien und Backa. [The more important pests of cultivated plants in Slavonia and Bacher.] Verh. Deut. Ges. Angew. Entomol. 7. Mitgliederversammlung München, 31. Mai–2. Juni 1928. p. 33-41.
- #264. KRAINSKY, S. 1914. Pests of horticulture and methods of controlling them in the government of Kiev. (In Russian) Hort. Market-Gard. 2(18):329-339; (19):358-361; (20-21):379-385; (22):407-412; (23):423-430; (24-25):436-458.
- #265. KRASNOPOL'SKAYA, L. F. 1966. Damage caused to leguminous crops by root-nodule weevils of the genus *Sitona*. (In Russian) Tr. Khar'kov. Sel'skokhoz. Inst. 55(92):36-46. refs.
266. KRASUCKI, A. 1925. Oprzedziki, *Sitonini* (Ryjkowce, Curculionidae) w połud.-wsch. Polsce. [Weevils (*Sitonini*) in south-eastern Poland.] (In Polish) Chor. Szkodn. Rośl. 1(1):11-18. illus. refs.
- #267. ———. 1929. Spostrzeżenia nad szkodnikami roślin hodowanych w południowo-wschodniej Polsce w r. 1929. [Observations on the pests of cultivated plants in south-eastern Poland in 1929.] Mem. Inst. Nat. Polonaise Econ. Rur. Pulawy 10(2):588-595. refs.
- #268. KRISHITAL, O. P., and O. I. PETRUKHA. 1930. Pests of field crops in 1929. (In Ukrainian) Kii'vska Kraiova S.-G. Dosl. Statz., Vidd. Entomol. [Kiev Reg. Agr. Exp. Sta., Dep. Entomol.] 62. 52 p. illus. refs.
- #269. KSENOPOLOSKY, A. V. 1914. The insect pests of Volhynia during the period of existence of the late Maintenance Commission (1880-1897). (In Russian) Zemstvo Govt. Volhynia, Jitomir. 29 p. maps.
- #270. KULAGIN, N. M. 1915. Insects injurious to cultivated field-plants in European Russia in 1914. (In Russian) Bull. Moscow Entomol. Soc. (Soc. Entomol. Mosquensis) 1:136-161.
- #271. KURDIUMOV, N. V. 1917. *Aphthona euphorbiae*, Schrank. (In Russian) Proc. Poltava Agr. Exp. Sta. 30. 26 p. illus.
272. KUTTER, H. 1934. Die Bekämpfung der Konservenerbsenschädlinge im st. gallischen Rheintal. Untersuchungsbericht 1934. [Measures against pests of peas grown for canning in the Rhine Valley in the canton of St. Gall, Switzerland. Report of investigations for 1934.] Landwirt. Jahrb. Schweiz 48(10):1133-1172. illus. refs. maps.
273. ———. 1936. Die Bekämpfung der Konservenerbsenschädlinge im st. gallischen Rheintal. Untersuchungsbericht 1935. [Measures against pests of peas grown for canning in the Rhine Valley in the canton of St. Gall, Switzerland. Report on investigations in 1935.] Landwirt. Jahrb. Schweiz 50(1):80-102. refs. maps.
274. ———, and W. WINTERHALTER. 1933. Untersuchungen über die Erbsenschädlinge im st. gallischen Rheintal während der Jahre 1931 und 1932. [Investigations on the pests of peas in the Rhine Valley in St. Gall during 1931 and 1932.] Landwirt. Jahrb. Schweiz 47(3):273-338. illus. refs.
- #275. LABRUVERE, R. E., and P. RIEPMA. 1957. Bladrandkeverbestrijdingsproeven in de periode 1952 t/m 1955 (project 258). [*Sitona lineatus* L. control trials in the period 1952 to and including 1955 (project 258).] Meded. Proefsta. Akker-Weideb. 3. 9 p.
276. LA FERLA, A. 1945. Contributi alla conoscenza delle larve dei Curculionidi. I. *Sitona lineatus* L. [Some contributions to the knowledge of the larvae of Curculionids. I. *S. lineatus* L.] Boll. Lab. Entomol. Agr. 'Filippo Silvestri' 5:296-307. illus.
277. ———. 1945. Contributi alla conoscenza delle larve dei Curculionidi. II. Caratteri distintivi fra la larva di *Balaninus eliphas* Gyllh. e quella di *B. nuceum* L. [Some contributions to the knowledge of the larvae of Curculionids. II. Characteristics distinguishing the larvae of *Curculio* (*B.*) *eliphas* Gyllh. and *C. (B.) nuceum* L.] Boll. Lab. Entomol. Agr. 'Filippo Silvestri' 5:308-311. illus.
278. LARSON, A. O., and F. G. HINMAN. 1932. Insects found on pea fields in the Willamette Valley, Oregon, after harvest. J. Econ. Entomol. 25(5):971-976. refs.
279. LAU, N. E., and R. S. FILMER. 1959. Injury of clover root curculios to red clover in New Jersey. J. Econ. Entomol. 52(6):1155-1156. illus. refs.
280. LEACH, C. M., E. A. DICKASON, and A. E. GROSS. 1961. Effects of insecticides on insects and pathogenic fungi associated with alsike clover roots. J. Econ. Entomol. 54(3):543-546. illus. refs.
281. ———, ———, and ———. 1963. The relationship of insects, fungi and nematodes to the deterioration of roots of *Trifolium hybridum* L. Ann. Appl. Biol. 52(3):371-385. illus. refs.
282. LEHMANN, H. 1933. Luzerneschädlinge. I. Rüsselkäfer: *Phytonomus variabilis* Herbst, *Sitona lineata* L., and *Apion pisi* F. [Lucerne pests. I. Weevils.] Z. Pflanzenkr. (Pflanzenpathol.) Pflanzenschutz 43(11):625-638. illus. refs.
283. ———. 1935. Luzerneschädlinge. 4. Blattschädlinge. [Lucerne pests. 4. Leaf pests.] Z. Pflanzenkr. (Pflanzenpathol.) Pflanzenschutz 15(8):416-431. illus. refs.

284. ———, and M. BECKER. 1934. Luzerneschildlinge. 3. Die Bekämpfung des linierten Blattrandkäfers (*Sitona lineata* L.) auf Luzerneschlagen mittels arsenhaltiger Stäubmittel. [Lucerne pests. 3. The control of *S. lineata* in lucerne fields by means of arsenical dusts.] Z. Pflanzenkr. (Pflanzenpathol.) Pflanzenschutz 41(10):486-497. illus. refs.
285. LEMAISTRE, W. G. 1949. Weevils affect honey crop. West. Can. Beekeep. 12(7):11.
286. LILLY, J. II. 1955. Recent developments in the use of soil insecticides. FAO Plant Prot. Bull. 3(6):81-85. illus. refs.
287. ———. 1956. Soil insects and their control. Annu. Rev. Entomol. 1:203-222. illus. refs.
288. ———, and R. J. WALSTROM. 1952. Case of the "disappearing sweetclover." Iowa Farm Sci. 6(10):160-161. illus.
- #289. LIND, J., S. ROSTRUP, and F. KÖLPIN-RAVN. 1914. Oversikt over landbrugsplanternes sygdomme i 1913. [Summary of the diseases of agricultural plants in 1913.] Beretn. Statens Forsoksvirks. PIKult. 79(30):?
- #290. ———, ———, and ———. 1915. Oversogt over landbrugsplanternes sygdomme i 1914. [Review of the diseases of agricultural plants in 1914.] Beretn. Statens Forsoksvirks. PIKult. 94(31):?
- #291. ———, ———, and ———. 1916. Oversigt over landbrugsplanternes sygdomme i 1915. [Report on agricultural pests in Denmark in 1915.] Beretn. Statens Forsoksvirks. PIKult. 105:397-423.
292. LINDBERG, H. 1933. Finlands *Sitona*-arter (Col., Curc.). Notulae Entomol. 13:92-103. illus. refs.
293. ———. 1953. Zweiter Beitrag zur Kenntnis der Käferfauna der Kanarischen Inseln. [Second contribution to the knowledge of the Coleoptera of the Canary Islands.] Soc. Sci. Fenn. Commentat. Biol. 13(12). 18 p. illus.
294. LINNANEMI, W. M. 1935. Kertomus tuhoeläinten esiintymisestä Suomessa vuosina 1917-1923. [Report on the occurrence of plant pests in Finland in 1917-1923.] Valtion Maatalousk. Julk. 68. 159 p. illus. maps.
295. LOAN, C. 1960. A hymenopterous parasite of *Sitona scissifrons* Say (Coleoptera: Curculionidae). Can. J. Zool. 38(4):837. refs.
296. ———. 1961. Introduction of European parasites of *Sitona* spp. for control of the sweetclover weevil, *Sitona cylindricollis*, in Canada. J. Econ. Entomol. 54(5):1026-1031. illus. refs.
297. ———, and F. G. HOLDAWAY. 1961. *Microctonus aethiops* (Nees) auctt. and *Perilitus rutilus* (Nees) (Hymenoptera: Braconidae), European parasites of *Sitona* weevils (Coleoptera: Curculionidae). Can. Entomol. 93(12):1057-1079. illus. refs.
298. ———, and ———. 1961. *Pygostolus flacatus* (Nees) (Hymenoptera, Braconidae), a parasite of *Sitona* species (Coleoptera, Curculionidae). Bull. Entomol. Res. 52(3):473-488. illus. refs.
299. LOAN, C. C. 1960. The biology of insect parasites of the genus *Sitona* Germar (Coleoptera: Curculionidae). Ph.D. Diss., University of Minnesota. 232 p. illus. refs.
300. ———. 1963. The bionomics of *Sitona scissifrons* (Coleoptera: Curculionidae) and its parasite *Microctonus sitonae* (Hymenoptera: Braconidae). Ann. Entomol. Soc. Amer. 56(5):600-612. illus. refs.
301. ———. 1964. Observations on the biology of *Centistes excrucians* Haliday (Hymenoptera: Braconidae). Proc. Entomol. Soc. Ont. 94:56-61. illus. refs.
302. ———. 1965. Status of *Pygostolus flacatus* as a parasite of *Sitona* spp. following releases in Manitoba and Ontario. J. Econ. Entomol. 58(4):798-799. illus. refs.
303. LOMAX, J., and J. PAPPAS. 1949. Sweet clover weevil. Nebr. Agr. Exp. Sta. Ext. Circ. 1554. 3 p. illus.
304. MACDOUGALL, R. S. 1913. The red clover gall gnat, *Amblyspatha ormerodi* nov. sp. Kieffer. Agriculture (London) 20(3):225-230. illus. refs.
305. ———. 1921. Insect and arachnid pests of 1920. Trans. Highland Agr. Soc. Scot. 33:105-142. illus. refs.
306. MACNAY, C. G. 1959. Known distribution of a clover weevil, *Sitona scissifrons* (Say) (= *S. tibialis*), in Canada. Can. Insect Pest Rev. 37(7):239. maps.
307. MACVICAR, R. M., E. BRAUN, D. R. GIBSON, and C. A. JAMIESON. 1952. Studies in red clover seed production. Sci. Agr. 32(2):67-80. illus. refs.
308. MAGNANO, L. 1959. Contributi alla conoscenza dei Curculionidi (Col.). V. Descrizione di una nuova specie di *Sitona* Germ. e alcune note sulle specie del gruppo dei *Pubiferi* di Reitter. [Contributions to the knowledge of the Curculionidae (Col.). V. Description of a new species of *Sitona* Germ. and some notes on the species of the group *Pubiferi* of Reitter.] (In Italian) Boll. Soc. Entomol. Ital. 89(9-10):156-160. illus. refs.
309. MALLORY, A. R. 1945. The sweet clover weevil. West. Can. Beekeep. 8(5):10.
310. MANGLITZ, G. R. 1961. Insects and sweetclover seedlings. Nebr. Exp. Sta. Quart. 7(4):23. illus.
311. ———, D. M. ANDERSON, and H. J. GORZ. 1963. Observations on the larval feeding habits of two species of *Sitona* (Coleoptera: Curculionidae) in sweetclover fields. Ann. Entomol. Soc. Amer. 56(6):831-835. illus. refs.
312. ———, and C. O. CALKINS. 1962. Time of plowing for sweetclover weevil control. Proc. N. Cent. Br. Entomol. Soc. Amer. 17:97-98.
313. ———, and ———. 1963. Plowing for sweetclover weevil control. J. Econ. Entomol. 56(5):716-717. illus. refs.
314. ———, and H. J. GORZ. 1964. Host-range studies with the sweetclover weevil and the sweetclover aphid. J. Econ. Entomol. 57(5):683-687. illus. refs.
- #315. MANOLACHE, C., G. BOGULEANU, P. PASOL, F. NICA, N. NICOLAESCU, A. NAUM, and E. PETRESCU. 1969. Contributi la studiul dinamicii sezoniere si diurne a entomofaunei din culturile de mazare. [A study of the seasonal and diurnal dynamics of the entomofauna in pea crops.] Lucr. Stiint. Inst. Agron. 'N. Balcescu' Bucuresti Ser. A 12:399-408. illus.
- #316. MARCHAL, P., and E. FOEX. 1919. Rapport phytopathologique pour l'année 1918. Ann. Serv. Epiphyt. 6(1918):5-33.
317. MARKKULA, M. 1959. The biology and especially the oviposition of the *Sitona* Germ. (Col., Curculionidae) species occurring as pests of grassland legumes in Finland. Valtion Maatalousk. Julk. 178:41-74. illus. refs.
318. ———, and P. KÖPPE. 1960. The composition of the *Sitona* (Col., Curculionidae) population on grassland legumes and some other leguminous plants. Ann. Entomol. Fenn. 26(4):246-263. illus. refs. maps.
319. ———, and P. PUHAKAINEN. 1966. Notes on the wing length of some *Sitona* (Coleoptera, Curculionidae) species. Anq. Entomol. Fenn. 32(1):55-57. illus. refs.
320. ———, and S. ROIVAINEN. 1961. The effect of temperature, food plant, and starvation on the oviposition of some *Sitona* (Col., Curculionidae) species. Ann. Entomol. Fenn. 27(1):30-45. illus. refs.
321. MARSHALL, G. E., and D. A. WILBUR. 1934. The clover root curculio (*Sitona hispidula* Fab.) in Kansas. J. Econ. Entomol. 27(4):807-814. illus. refs.
- #322. MARTELLI, G. M. 1964. Notizie su due *Sitona* delle

- leguminose (*Sitona lineatus* L. e *S. limosus* Rossi) Coleoptera—Curculionidae. [Notes on two species of *Sitona* on leguminous plants (*S. lineatus* and *S. limosus*).] Sci. Tec. Agrar. 4(3): 15 p. illus. refs.
323. MASEFIELD, G. B. 1952. The nodulation of annual legumes in England and Nigeria: Preliminary observations. Empire J. Exp. Agr. 20(79):175-186. illus. refs.
324. ———. 1955. Conditions affecting the nodulation of leguminous crops in the field. Empire J. Exp. Agr. 23(89):17-24. illus. refs.
325. MASSEE, A. M. 1946. Notes on some interesting insects observed in 1946. East Malling Res. Sta. Annu. Rep. 34:124-128.
326. MEDLER, J. T., and T. R. CHAMBERLIN. 1952. Sweet clover weevil control in Wisconsin. Proc. N. Cent. Br. Amer. Assoc. Econ. Entomol. 7:31-32.
327. MÈGE, M. 1923. Ennemis et maladies de la betterave observés au Maroc. Bull. Soc. Pathol. Veg. Fr. 10(4): 339-341. refs.
- #328. MEIER, W. 1958. Kombinierte Bekämpfung des Erbsenblattandräfers (*Sitona lineata* L.) und der Erbsenblattlaus (*Acyrtosiphon pisum* Harris). Mitt. Schweiz. Landwirt. 6(2):30-32.
- #329. ———. 1961. Über Versuche zur chemischen Bekämpfung des Erbsenblattandräfers, *Sitona lineatus* L. [Experiments on the chemical control of *S. lineatus*.] Mitt. Schweiz. Landwirt. 9(4):56-64. illus. refs.
330. MELAMED-MADJAR, V. 1966. Observations on four species of *Sitona* (Coleoptera, Curculionidae) occurring in Israel. Bull. Entomol. Res. 56(3):505-514. illus. refs.
- #331. ———. 1966. The phenology of *Sitona* (Coleoptera, Curculionidae) in Israel. Israel J. Entomol. 1:63-74. illus. refs.
- #332. MENOZZI, C. 1930. Insetti dannosi alla barbabietola osservati durante la campagna 1929. (Osservazioni ed appunti preliminari.) [Insect pests of sugar-beet observed during the season 1929 in Italy. Preliminary observations and notes.] Ind. Saccar. Ital. 23(1). 24 p.; (2). 19 p.; (4). 28 p. illus.
333. MEYER, E. 1941. Ueber ein Schadaufreten von *Sitona puncticolis* Steph. [On the injurious occurrence of *S. puncticolis*.] Z. Pflanzenkr. (Pflanzenpathol.) Pflanzen-schutz 51(7):324-330. illus. refs.
334. MEYER, N. F. 1934. Schlupfwespen, die in Russland in den letzten Jahren aus Schädlingen gezogen sind. Z. Angew. Entomol. 20(4):611-618.
- #335. MIKHAILOV, K. G. 1962. Summer migration of *Sitona calosus*. (In Russian) Zashch. Rast. Vred. Bolez. 1962(1):31.
336. MILES, H. W. 1921. Observations on the insects of grasses and their relation to cultivated crops. Ann. Appl. Biol. 8(3-4):170-181. refs.
337. MILLS, H. B. 1942. Montana insect pests, 1941 and 1942. Twenty-ninth report of the State Entomologist. Mont. Agr. Exp. Sta. Bull. 408. 36 p. illus. refs. maps.
338. MILUM, V. G. 1941/1942. What's new in beekeeping. Ill. State Beekeep. Assoc. Annu. Rep. 52:153-154.
339. MINISTRY OF AGRICULTURE AND FISHERIES. 1931. Pea and bean weevils. Gt. Brit. Min. Agr. Fish. Adv. Leaflet. 61. 4 p. illus.
340. ———. 1947. Pea and bean weevils. Gt. Brit. Min. Agr. Fish. Adv. Leaflet. 61 (Rev.). 3 p. illus.
341. ———. 1954. Pea and bean weevils. Gt. Brit. Min. Agr. Fish. Adv. Leaflet. 61 (Rev.). 3 p. illus.
342. MINISTRY OF AGRICULTURE, FISHERIES AND FOOD. 1959. Pea, bean, and clover leaf weevils. Gt. Brit. Min. Agr. Fish. Food Adv. Leaflet. 61 (Rev.). 4 p. illus.
343. ———. 1962. Pea, bean and clover weevils. Gt. Brit. Min. Agr. Fish. Food Adv. Leaflet. 61 (Rev.). 4 p. illus.
344. ———. 1964. Pea, bean and clover weevils. Gt. Brit. Min. Agr. Fish. Food Adv. Leaflet. 61 (Rev.). 4 p. illus.
345. ———. 1966. Pea, bean and clover weevils. Gt. Brit. Min. Agr. Fish. Food Adv. Leaflet. 61 (Rev.). 4 p. illus.
346. ———. 1968. Pea, bean and clover weevils. Gt. Brit. Min. Agr. Fish. Food Adv. Leaflet. 61 (Rev.). 4 p. illus.
347. ———. 1972. Pea, bean and clover weevils. Gt. Brit. Min. Agr. Fish. Food Adv. Leaflet. 61 (Rev.). 4 p. illus.
- #348. MINKIEWICZ, S. 1921. Szkodniki pól o ogrodów, obserwowane w Puławach i okolicy w ciągu 1919 r. [Field and garden pests observed at Pulawy and its environs in 1919.] Mem. Inst. Nat. Polonais Econ. Rur. Puławy 1(A#2):141-157.
- #349. MITCHENER, A. V. 1948. Pesteering pests: Sweet clover weevil. Manitoba Co-op. 5(44):8.
- #350. MIZEROVA, F. 1915. Report on the work of the Orel Entomological Bureau and a review of the pests observed in the government of Orel in 1913. (In Russian) Zemstvo Govt. Orel. 31 p.
- #351. ———. 1915. Report on the work of the Orel Entomological Bureau and a review of the pests observed in the government of Orel in 1914. (In Russian) Zemstvo Govt. Orel. 23 p.
- #352. MIZEROVA, F. V. 1916. Pests of clover in the government of Orel according to observations in 1913-1914. (In Russian) Proc. Conf. Pests Clover Cent. Russ. p. 151-153.
353. MOLZ, E., and D. SCHRÖDER. 1914. Beitrag zur Kenntnis der Biologie des Blattandräfers (*Sitona lineata* L.). [The life cycle of *Sitona lineata* in Germany.] Z. Wiss. Insekt-Biol. 10(8-9):273-275. illus.
354. MONASTERO, S. 1938. Due gravi infezioni alle fave di Sicilia "*Lixus algerus*" L. e "*Sitona lineatus*" F. [Two serious pests of the beans of Sicily: *L. algerus* and *S. lineatus*.] Riv. Patol. Veg. 28(9-10):405-410. refs.
355. MORETON, B. D. 1945. Weevil, enemy of lucerne. Farmer Stock-Breed. 59(2906):969.
356. MÓZES, P. 1965. Noi specii de *Sitona* (Germ.) pe leguminoase cultivate in Republica Socialistă România. [New species of *Sitona* (Germ.) on leguminosae cultivated in Rumania.] Inst. Agron. "Dr. Petru Groza" Cluj Lucr. Stiint. Ser. Agr. 21:281-284. illus. refs.
357. ———. 1966. Un dăunător al trifoiului și lucernei în Republica Socialistă România (*Sitona puncticolis* Steph.). [A new pest of the clover and alfalfa in Romania (*Sitona puncticolis* Steph.).] Inst. Agron. "Dr. Petru Groza" Cluj Lucr. Stiint. Ser. Agr. 22:281-284. illus. refs.
358. ———, I. MIKLÓS, and V. TÁRÁŰ. 1965. Contribuții la cunoașterea biocologiei gărgărițelor frunzelor de leguminoase (*Sitona* sp. Germ. Curculionidae—Coleoptera). [Contributions to the bio-ecological study of *Sitona* sp. Germ., Curculionidae—Coleoptera.] Inst. Agron. "Dr. Petru Groza" Cluj Lucr. Stiint. Ser. Agr. 21:269-279. illus. refs.
- #359. MUKHAMEDOV, K. K. 1965. Beetles injurious to lucerne in Turkmenia. (In Russian) Uchen. Zap. Turkm. Gos. Ped. Inst. Ser. Biol. Geogr. Nauk 1965(2):129-151.
- #360. MÜLLER, H. 1960. Zur Populationsdynamik lucerne- und klee-schädigender Arten der Gattung *Sitona* Germar unter besonderer Berücksichtigung entomophager Parasiten und zur Morphologie und Biologie der Präimaginalstadien des *Sitona*-Parasiten *Campogaster exigua* (Meig.). Diss. Math.-Nat. Fakult. Leipzig.
361. ———. 1962. Zur Morphologie und Biologie der Präimaginalstadien des *Sitona*-Parasiten *Campogaster*

- exigua* (Meig.) (Diptera: Larvaevoridae). [On the morphology and biology of the preimaginal stages of the *Sitona* parasite *Campogaster exigua* (Meige.) (Diptera: Larvaevoridae).] Beitr. Entomol. 12(3-4):345-381. illus. refs.
362. ———. 1963. Zur Populationsdynamik von *Sitona* Germar (Curculionidae) auf Luzerne und Rotklee unter besonderer Berücksichtigung entomophager Parasiten. [Contribution to the study of population dynamics of *Sitona* Germar (Curculionidae) on alfalfa and red clover with especial reference to entomophagous parasites.] Zool. Jahrb. Abt. Syst. Okol. Geogr. Tiere 90(4):659-696. illus. refs.
- #363. MÜLLER, K. R. 1932. Stärkere Frassschäden an Klee und Luzerne durch den Blatttrankkäfer (*Sitona*). Landwirt. Wschr. Halle 90(33):554.
- #364. ———. 1943. Zwei wichtige Luzernefeinde. Landesb. Sachsen-Anhalt Wbl. 101:412.
365. MÜLLER-KÖGLER, E., and W. STEIN. 1970. Gewächshausversuche mit *Beauveria bassiana* (Bals.) Vuill. zur Infektion von *Sitona lineatus* (L.) (Coleopt., Curcul.) im Boden. [Studies on infection of *Sitona lineatus* (L.) (Coleopt., Curcul.) in soil; greenhouse experiments with *Beauveria bassiana* (Bals.) Vuill.] Z. Angew. Entomol. 65(1):59-76. illus. refs.
366. MÜLLER-THURAU, H., A. OSTERWALDER, and G. JEGEN. 1922. Bericht der Schweizerischen Versuchsanstalt für Obst-, Wein- und Gartenbau in Wädenswil für die Jahre 1917-1920. 1. Pflanzenphysiologische und pflanzenpathologische Abteilung. [Report of the Swiss Experiment Institute at Wädenswil for the years 1917-1920. 1. Department of plant physiology and plant pathology.] Landwirt. Jahrb. Schweiz 36(6):774-784.
- #367. MUNRO, J. A. 1944. The sweet clover weevil. The Farmer 62(4):19.
368. ———. 1944. Will delayed seeding reduce damage caused by the sweet clover weevil? N. Dak. Agr. Exp. Sta. Bi-Mon. Bull. 7(2):13-14.
369. ———. 1947. What about the sweet clover weevil? N. Dak. Outdoors 10(3):13-14. illus.
370. ———. 1948. Effect of sweet clover weevil on forage yield and quality. Proc. N. Cent. Br. Amer. Assoc. Econ. Entomol. 3:91-92.
371. ———. 1949. Fly versus weevil: New hope for sweet clover. S. Beekeep. 3(1):6-7. illus.
372. ———. 1949. Sweet clover weevil control. Proc. N. Cent. Br. Amer. Assoc. Econ. Entomol. 4:43.
373. ———. 1951. Drafting insect "soldiers" to war on plant parasites. How parasites of the sweet clover weevil and European corn borer are being established in North Dakota. N. Dak. Agr. Exp. Sta. Bi-Mon. Bull. 13(6):231-236. illus. refs.
374. ———, R. E. BRY, and R. L. STEPHENSON. 1951. Weevil larvae prey on sweet clover rootlets. N. Dak. Agr. Exp. Sta. Bi-Mon. Bull. 13(6):232.
375. ———, M. A. LERAAS, and W. O. NOSTDAHL. 1949. Biology and control of the sweet clover weevil. J. Econ. Entomol. 42(2):318-321. illus. refs.
376. ———, and R. L. POST. 1948. Parasites to aid in the control of sweet clover weevil. Science 108(2813):609.
377. ———, and ———. 1949. Parasites to aid in control of the sweet clover weevil. N. Dak. Outdoors 12(1):13. illus. refs.
378. ———, and H. S. TELFORD. 1912. The sweet clover weevil. N. Dak. Agr. Exp. Sta. Bi-Mon. Bull. 4(6):21-22. refs.
379. ———, and ———. 1943. The sweet clover weevil. Gleanings Bee Cult. 71(10):587, 631. refs.
380. ———, ———, K. REDMAN, and T. E. STOA. 1944. Biology and control of the sweet clover weevil. N. Dak. Agr. Exp. Sta. Bi-Mon. Bull. 7(2):31-34. illus.
381. NAWA, U. 1928. *Sitones japonicus*, Roel., attacking the roots of *Astragalus sinicus*. (In Japanese) The Insect World 32(6):188-191.
382. NEEDHAM, P. H., and M. J. WAY. 1954. Control of pea weevil (*Sitona lineatus* L.). Rothamsted Exp. Sta. Harpenden Annu. Rep. 1954:116-118.
383. NEWTON, H. C. F. 1934. Insect pests at Rothamsted and Woburn, 1933-4. Rothamsted Exp. Sta. Harpenden Annu. Rep. 1934:71-73.
384. NEWTON, R. C. 1958. Rearing *Sitona hispidula* larvae for various research uses. J. Econ. Entomol. 51(6):917-918. illus.
385. ———, and J. H. GRAHAM. 1960. Incidence of root-feeding weevils, root rot, internal breakdown, and virus and their effect on longevity of red clover. J. Econ. Entomol. 53(5):865-867. illus. refs.
386. NIEMCZYK, H. D., and G. E. GUYER. 1963. The distribution, abundance and economic importance of insects affecting red and mammoth clover in Michigan. Mich. Agr. Exp. Sta. Tech. Bull. 293. 38 p. illus. refs. maps.
- #387. NIKOL'SKIY, V. L. 1937. A check of the measures used by forest nurseries in the Voronezh region. In: Summary of the scientific research work of the Institute of Plant Protection for the year 1936. Part 1. Pests and diseases of cereals and shelterbelts. (In Russian) Lenin Acad. Agr. Sci. Leningrad. p. 227-233.
- #388. NOONAN, J. B. 1969. *Sitona* weevil spreads to Manning. Dairy Top. 14(5):9.
389. NORMAND, H. 1949. Contribution au catalogue des Coléoptères de la Tunisie. (Troisième supplément-Fascicule 3). Bull. Soc. Sci. Natur. Tunisie 2(2):65-78. illus. refs.
390. ———. 1949. Contribution au catalogue des Coléoptères de la Tunisie. Troisième supplément. (Fascicule 4). Bull. Soc. Sci. Natur. Tunisie 2(2):79-104. illus. refs.
- #391. OBRTEL, R. 1955. Československé druhy rodu *Sitona* Germ. a jejich hospodářský význam. [Czechoslovak species of the genus *Sitona* Germ. and their economic importance.] Véd. Pr. Vyzk. Ústavu Krmivářského ČSAZV v Brně 1:115-141.
- #392. ———. 1962. Field tests with some contact insecticides against pea weevils (*Sitona* spp.). (In Czech — English summary) Rostl. Výroba 8(4):541-550. refs.
- #393. OWEN, D. F. 1955. Coleoptera taken by swifts (*Apus apus* L.). J. Soc. Brit. Entomol. 5(3):105-109.
- #394. OZOLS, E. 1933. Pea pests. (In Lettish) Lauksaimn. Mēnešrak. [J. Agr.] 3:130-137. illus. refs.
395. PALM, T. 1930. För Sverige nya Coleoptera. [Coleoptera new to Sweden.] Entomol. Tidskr. 51(3-4):194-197.
396. PARKS, T. H. 1948. Sweet clover weevil. In: Recent insect invasions in Ohio. Ohio Biol. Surv. Bull. 40(7(5)):379-380. refs.
397. PETCH, T. 1944. Notes on entomogenous fungi. Trans. Brit. Mycol. Soc. 27(1+2):81-93.
- #398. PETRUKHA, O. I. 1962. Formirovanie fauny kluben'kovykh dolgoosikov roda *Sitona* Germ. [Formation of the fauna of the genus *Sitona* Germ.] In: Voprosy ekologii. [Problems of ecology.] Vysshaya Shkola Moscow 7:135-137.
399. PETTIT, R. H. 1916/1917. Report of the Entomologist.

- In: Thirtieth annual report of the Michigan Agricultural Experiment Station. Mich. State Bd. Agr. Annu. Rep. 56:321-322.
- #400. _____. 1917/1918. Report of the Entomologist. In: Thirty-first annual report of the Michigan Agricultural Experiment Station. Mich. State Bd. Agr. Annu. Rep. 57:278-280.
- #401. PHILLIPS, W. G. 1961. Studies on the biology and economic importance of the clover root curculio *Sitona hispidula* (Fab.) in Maryland. Ph.D. Diss., University of Maryland. 55 p. illus. refs.
- #402. _____, and L. P. DITMAN. 1962. Studies on biology and economic importance of the clover root curculio *Sitona hispidula* (Fab.) in Maryland. Md. Agr. Exp. Sta. Bull. A-121. 21 p. illus. refs.
- #403. PLAUT, H. N. 1973. Habits of adult *Sitona limosus* (Coleoptera: Curculionidae) in Israel. Ann. Entomol. Soc. Amer. 66(5):931-936. illus. refs.
- #404. PLOTNIKOV, V. 1914. Insects injurious to orchards, field-crops, and market-gardens in Turkestan, with indications of methods of fighting them. (In Russian) Turkestan Entomological Station, Tashkent. 216 p. illus.
- #405. _____. 1915. Reports on the work of the Turkestan Entomological Station in 1912, 1913, 1914, and part of 1915. (In Russian) Turkestan Entomological Station, Tashkent. 60 p.
- #406. POLEVSHCHIKOVA, V. N. 1961. Opyt primeneniya granulirovannykh insektitsidov. [Test application of granulated insecticides.] Zashch. Rast. Vred. Bolez. 12:23-24.
- #407. _____. 1967. A test on the integrated control of pests of lucerne. In: V. V. Yakhontov, Ed., Vrediteli i bolezni kormovykh i zernobobovykh kul'tur. [Pests and diseases of fodder and leguminous crops.] Izdat. FAN Uzbek. SSR for Sredneaz. Inst. Zashch. Rast. (Tashkent). p. 5-13. illus. refs.
- #408. _____, and M. A. KARIMOV. 1967. On a programme of measures for the control of pests, diseases, and dodder on lucerne. In: V. V. Yakhontov, Ed., Vrediteli i bolezni kormovykh i zernobobovykh kul'tur. [Pests and diseases of fodder and leguminous crops.] Izdat. FAN Uzbek. SSR for Sredneaz. Inst. Zashch. Rast. (Tashkent). p. 32-59. refs.
- #409. PONOMARENKO, D. 1944. Simple pest control measures on seed alfalfa. (In Russian) Proc. Lenin Acad. Agr. Sci. USSR 9(5-6):20-23.
- #410. PONOMARENKO, D. A. 1937. The importance of pests of lucerne grown for seed and their control. In: Summaries of the work of the Section of Plant Protection of the All-Union Institute of Grain Farming (Saratov) for the year 1936. (In Russian) Zashch. Rast. (Plant Prot.-Leningrad) 13:91-95. illus.
- #411. _____. 1938. Pests of lucerne grown for seed and their control. (In Russian) Socialistic Grain Farming 1:134-152.
- #412. _____. 1940. Insects injuring the irrigated and unwatered lucerne in the region of the left bank of the Volga and the adjoining regions. (In Russian) Bull. Plant Prot. (Leningrad) 1940 (1-2):24-38.
- #413. POPOVA, V. 1963. The quantitative correlation of injurious insects on lucerne in relation to its age. (In Bulgarian) Izv. Inst. Zashch. Rast. 5:101-113. illus. refs.
- #414. _____. 1966. Quantitative and qualitative studies on insects of the order Coleoptera at different seasons of the year and the biocoenosis of lucerne in the Plovdiv region. (In Bulgarian—English summary) Rastenievod. Nauki 3(7):69-78. illus. refs.
- #415. POPOVA, V. P. 1968. Entomofauna po lyutseznata. [Insects associated with lucerne.] Izdat. Bŭlgar. Akad. Nauk. for Inst. Zashch. Rast. Kostinbrod. (Sofia). 151 p. illus. refs.
- #416. PORTCHINSKY, I. A. 1914. A review of the spread in Russia of the chief injurious animals in 1913. (In Russian) Yearb. Dep. Agr. Petrograd 1913. 14 p. illus.
- #417. POTTER, C., and J. F. PERKINS. 1946. Control of brassica pests by DDT. Agriculture (London) 53(3):109-113. illus. refs.
- #418. PRESCOTT, H. W., and W. H. ANDERSON. 1961. Characters for separating larvae of *Sitona lineata* (L.) and *Sitona hispidula* (Coleoptera: Curculionidae). Ann. Entomol. Soc. Amer. 54(3):465-466. illus. refs.
- #419. _____, and R. C. NEWTON. 1963. Flight study of the clover root curculio. J. Econ. Entomol. 56(3):368-370. illus. refs.
- #420. _____, and M. M. REEHER. 1961. The pea leaf weevil. An introduced pest of legumes in the Pacific Northwest. U.S. Dep. Agr. Tech. Bull. 1233. 12 p. illus. refs.
- #421. PROTA, R. 1959. Attacks of *Sitona* on bean crops. (In Italian) Agr. Sarda 36(5):131-133.
- #422. RADCLIFFE, E. B., and F. G. HOLDAWAY. 1964. Pushing sweetclover research. Sugar Beet Grower Quart. 2(2):10-11.
- #423. _____, and _____. 1964. Resistance in *Melilotus* to *Sitona cylindricollis* Fahraeus. Proc. 12th Int. Congr. Entomol. (London). p. 535.
- #424. _____, and _____. 1964. Sweetclover resistance to weevil attack. Minn. Farm Home Sci. 22(2):5-7. illus.
- #425. _____, and _____. 1967. Sweetclover weevil resistance in *Melilotus* Adams, *Medicago* L., and *Trigonella* L. Minn. Agr. Exp. Sta. Tech. Bull. 255. 26 p. illus. refs.
- #426. RAKAUSKAS, P. 1962. Parasites and predators of weevils *Sitona lineatus* and *S. crinitus* in pea plantations. (In Lithuanian) Liet. TSR Mokslu Akad. Darb. Ser. C 2(28):83-90.
- #427. _____. 1962. Weevils in pea plantations. (In Lithuanian) Liet. TSR Mokslu Akad. Darb. Ser. C 2(28):91-106. refs.
- #428. RAMBOUSEK, F. 1925. Ueber die Rübenschädlinge in Jahre 1924. [Beet pests in Czechoslovakia in 1924.] Z. Zuckerind. Cechoslov. Republ. 49(35-38): 267-272, 275-279, 283-288, 291-295. illus.
- #429. RAUTAPÄÄ, J., and M. MARKKULA. 1966. Diapausal aestivation of clover root curculio *Sitona hispidulus* Fabr. (Col., Curculionidae). Ann. Entomol. Fenn. 32(2):146-152. illus. refs.
- #430. REICHELT, K. 1924. Der Erbsenblatttrankkäfer *Sitona lineatus*. [The pea leaf beetle, *Sitona lineata*.] Die Gartenwelt 28:136-137. illus.
- #431. REPERT, R. R. 1921. Some insects injurious to alfalfa in Virginia. Quart. Bull. Va. State Crop Pest Conim. 2(4). 16 p. illus.
- #432. REUTSKAYA, O. E. 1966. On the food value of different pea varieties for root-nodule weevils. In: T. I. Fedotova, Ed., Immunitet sel'skokhozyaistvennykh rastenii k boleznyam i vreditelyam. [The immunity of agricultural plants to diseases and pests.] (In Russian—English summary) T. Vses. Nauch.-Issled. Inst. Zashch. Rast. 26:193-200. illus. refs.
- #433. REZVANI, A. 1970. Vergleichende Untersuchungen über Ökologie, Biologie und Verhalten verschiedener *Sitona*-Arten. Diss. Giessen. 80 p.
- #434. RIPPER, W. 1936. Die tierischen Schädlinge des Feldbaues im Jahre 1935. [Animal pests of agriculture in Austria in 1935.] Neuh. Geb. Pflanzenschutz 29(2):52-53.

- #435. ———. 1937. Schaden und Bekämpfung der Blattrandkäfer (Vorläufige Mitteilung). [Injury by and control of *Sitona* spp. (Preliminary communication).] Neuh. Geb. Pflanzenschutz 30(2):55-58. illus.
- #436. RITZEMA BOS, J. 1914. Ziekten en beschadigingen veroorzaakt door dieren: Insecta. [Diseases and damage caused by animals: Insects.] Meded. Rijks Hoogere Land- Tuin- Bosbouwswsch. 7(2 + 3):67-95.
437. ———. 1919. Insekten schade in het Voorjaar 1918. [Insect injury in Holland in the spring of 1918.] Meded. Landbouwhoogesch. Wageningen 15(2):68-74.
- #438. RIVNAY, E., and V. MELAMED. 1959. A survey of the *Sitona* spp. on the leguminous fodder crops in Israel. (In Hebrew) Prelim. Rep. Agr. Res. Sta. Rehovoth 265.
439. ROBSON, R. 1918. The shortage of clover seed in Essex in 1917. Agriculture (London) 25(2):176-179. illus.
- #440. ROCKWOOD, L. P. 1926. Alfalfa and clover insects in the North Pacific region. Columbia Port Dig. 4(4):8-9.
441. ———. 1951. Notes on insects associated with *Lupinus polyphyllus* Lindl. in the Pacific Northwest. Pan-Pac. Entomol. 27(4):149-156. refs.
442. ———. 1951. Some hyphomycetous fungi found on insects in the Pacific Northwest. J. Econ. Entomol. 44(2):215-217. refs.
- #443. ROEBUCK, A. 1936. A survey of the crop pests of Nottinghamshire during 1935. Notts. Educ. Comm., Nottingham. 9 p.
444. RÖRIG, G. 1916. Schädlinge an Hülsenfrüchten. [Pests of leguminosae.] Z. Pflanzenkr. 26(6-7):411.
445. ———. 1917. Schädlinge an Hülsenfrüchten. [Pests of leguminous vegetables.] Z. Pflanzenkr. 27(4):205.
- #446. ROSELLE, R. E., and R. V. CONNIN. 1955. Control sweet-clover weevils. Nebr. Agr. Ext. Serv. Ext. Circ. (Processed) EC 55-1574. [4 p.] illus.
- #447. ROSTRUP, S. 1915. Forsøg med sprojtemidler mod bedelus (*Aphis papaveris*). [Experiments with sprays against *Aphis papaveris*.] Beretn. Statens Forsøksvirks. PIKult. 92:234-256.
448. ROUDIER, A. 1958. Curculionides de la Sierra Cazorla (Jaén, Espagne) avec des remarques et des descriptions concernant d'autres Curculionides d'Espagne et des Pyrénées (Coleoptera). [Curculionidae of the Sierra Cazorla (Jaén, Spain), with remarks and descriptions concerning other Curculionidae of Spain and of the Pyrenees.] Ann. Soc. Entomol. Fr. 127:51-72. illus. refs.
449. ROZSPAL, J. 1942. Bericht über die Schädlichen Faktoren der Kulturpflanzen in Mähren während der Vegetationszeit 1940-41. Ochr. Rostl. 18(67):18-24.
450. ———. 1942. Zpráva o škodlivých činitelech kulturních plodin (výjma oves, brambory, len) ve vegetačním období 1940-41 na Moravě. [Report on adverse factors affecting cultivated plants (with the exception of oats, potatoes, and flax) during the vegetation period 1940-41 in Moravia.] Ochr. Rostl. 18(67):17.
- #451. RUSIKOVSKY, I. A. 1914. Entomological investigations in 1914. (In Russian) Agr. Impr. Meas. Zemstvo Govt. Ufa. p. 31-34.
- #452. ———. 1914. Pests of agriculture in the government of Ufa in 1913. (In Russian) Agron. Dep. Zemstvo Govt. Ufa. 29 p.
453. RUSZKOWSKA, I. 1961. Z obserwacji nad występowaniem oprzędzików — *Sitona* spp. [Observations on the appearing of clover root curculio *Sitona* spp.] (English summary) Pol. Pismo Entomol. Ser. B. Entomol. Stosow. 3-1(23-24):209-216. illus.
454. RYE, E. C. 1865. Extract from M. Allard's paper on *Sitones*. Entomol. Mon. Mag. 1:206-208, 229-232, 275-278.
- #455. SACHTLEBEN, H., and H. PAPE. 1922. Krankheiten und Beschädigungen der Kulturpflanzen im Jahre 1920. [Diseases and injuries of cultivated plants in 1920.] Mitt. Biol. Reichsanst. Land- Forstwirtschaft. 23:26-101. maps.
- #456. SAKHAROV, N., O. PILYUGINA, and D. GINSBURG. 1934. The weevils of the genus *Sitona* attacking leguminous plants and their control. (In Russian) Grain Prod. J. 4(3):75-83. illus. refs.
- #457. SALINAS, P. 1967. Estudio del efecto del riego sobre la incidencia y el control de algunas plagas de las habas (*Vicia faba* L.) mediante thionazin. [A study of the effect of irrigation on the incidence of some pests of broad beans and their control with thionazin.] 7th Reun. Latinoamer. Fitotec. 1967. Res. Trab. Cient. [7th Lat. Amer. Meet. Phytotechnol. 1967. Summ. Sci. Pap.] p. 152-154.
458. SAUPE, R., and H. ESTHER. 1965. Erfahrungen mit Kaltnebel-Insektiziden in Feldkulturen. [Practical work with cold-aerosol insecticides in field crops.] Nachrichtenbl. Deut. Pflanzenschutzdienst 19(5):127-135. illus. refs.
459. SCHAEFFER, H. J., MRS. 1947. Sweet clover weevil. Gleanings Bee Cult. 75(11):662.
460. SCHALK, J. M., G. R. MANGLITZ, and H. J. STEVENS, JR. 1970. Sweetclover weevil control. J. Econ. Entomol. 63(4):1356-1357. illus. refs.
- #461. SCHANDER, R., and F. KRAUSE. 1918. Die Krankheiten und Schädlinge der Erbsen. [Diseases and pests of the pea.] Flugbl. Abt. Pflanzenkr. K. Wilhelm-Inst. Landwirt. Bromberg 29 + 30:2.
462. SCHIERF, H. 1958. Ein Beitrag zur Biologie von *Sitona regensteinensis* Hbst. (Col., Curcul.). Deut. Entomol. Z. (n.s.) 5(3-4):221-234. illus. refs.
463. ———. 1958. Zur Kenntnis von *Sitona regensteinensis* Herbst (Coleoptera: Curculionidae). [On the knowledge of *S. regensteinensis*.] Beitr. Entomol. 8(3-4):494-501. illus. refs.
- #464. SCHOVEN, T. H. 1914. Beretning over skadeinsekter och plantesygdommer i land og havebruket 1913. [Report on the noxious insects and plant diseases of the field and the orchard in 1913.] Kristiana. p. 31-58. illus.
- #465. ———. 1916. Beretning om skadeinsekter og plantesygdommer i land og havebruket 1915. [Report on the injurious insects and fungi of the field and the orchard in 1915.] Kristiania. p. 37-92. illus.
- #466. ———. 1919. Beretning om skadeinsekter och plantesygdommer i land- og havebruket 1918. [Report on insect pests and fungus diseases of the field and orchard in 1918.] Christiania. 71 p. illus.
- #467. ———. 1926. Beretning om skadeinsektenes optreden i land- og havebruket i årene 1924 og 1925. [Report on insect pests occurring in agriculture and horticulture in 1924 and 1925.] Oslo. 31 p. illus.
468. SCHWARDT, H. H., L. D. NEWSOM, and L. B. NORTON. 1947. Increasing red clover yields by treatment with DDT or hexachlorocyclohexane. J. Econ. Entomol. 40(3):363-365. illus. refs.
- #469. SELENKINA-BELTYUKOVA, K. N. 1939. A brief record of injurious kitchen-garden insects in the Okhansk region (1936). (In Russian—English summary) Bull. Inst. Rech. Biol. Sta. Biol. Univ. Perm 11(9-10):279-293. refs.
- #470. SHAPIRO, I. 1950. Control of pea leaf weevils on the pea plantings. (In Russian) Kolkhoz. Proizvod. 10(6):43.
- #471. SHAPIRO, I. D. 1951. On the toxic action of hexachlorane

- on insects through the plant. (In Russian) Dokl. Akad. Nauk SSSR 80(3):481-484. refs.
472. SHARP, D. 1866. Note on *Sitones cinerascens*. Entomol. Mon. Mag. 3:164.
- #473. SHEVCHENKO, A. B. 1965. The effectiveness of dimethoate for the control of root-nodule weevils. (In Ukrainian) Zakhyst Rosl. 2:28-30. refs.
474. SILVA, G. M., and A. J. DEOLIVEIRA. 1959. Experiments on control of the pests of the yellow lupin (*Lupinus luteus* L.). Agron. Lusitana 21(1):43-74. illus. refs. maps.
475. SLADE, R. 1945. A new British insecticide. The gamma isomer of benzene hexachloride. Chem. Trade J. 116 (3017):279-281.
476. SLEEPER, E. L. 1955. New Curculionidae from British Columbia. I. (Coleoptera, Rhynchophora). Pan-Pac. Entomol. 31(3):155-162. refs.
477. SLYKHUIS, J. T. 1952. Investigations on sweetclover failure in southwestern Ontario. Sci. Agr. 32(1):1-18. illus. refs.
478. SMITH, L. G. 1944. Insects affecting vegetable seed crops in the western states. J. Econ. Entomol. 37(3):362-370. illus. refs.
479. SMITH, R. F., and A. E. MICHELBAEHR. 1944. Alfalfa insects in California. Calif. Dep. Agr. Bull. 33(1):39-52. illus. refs.
480. SMITH, R. H. 1919. A preliminary note concerning a serious nematode disease of red clover in the northwestern states. J. Econ. Entomol. 12(6):460-462. refs.
481. SMRECZYŃSKI, S. 1959. *Sitona leneellus* Boud., *S. ambiguus* Gyll., sp. propr. i *S. tibialis* var.? *brevicollis* Gyll. (Coleoptera, Curculionidae). Acta Zool. Cracov. 4(11):639-654. illus. refs.
482. ———. 1966. Uwagi o krajowych ryjkowcach (Coleoptera, Curculionidae) V. [Notes on Polish Curculionidae (Coleoptera).] Fragmenta Faunistica 13(8):171-174. illus. refs.
- #483. SOBOL', G. E. 1964. Pre-planting treatment of pea seeds. (In Russian) Zashch. Rast. Vred. Bolez. 2:27-28.
- #484. SOBOLEVA, E. M. 1960. The role of fertilizers in the resistance of alfalfa to agricultural pests. (In Russian) Khlopkovodstvo 1960(8):27-28.
- #485. SOPOTZKO, A. A. 1916. Pests of clover in the government of Tuva during 1910-14. (In Russian) Proc. Conf. Pests Clover Cent. Russ. p. 115-145.
486. SORENSON, C. J. 1944. Insect problems of field-crop seed production in the West. J. Econ. Entomol. 37(3):371-376. illus. refs.
- #487. SPEYER, W. 1951. Die vom Blattrandkäfer verursachten Schäden und ihre Verhütung. Gesunde Pflanz. 3:221-222.
488. STANILAND, L. N., and A. BEAUMONT. 1936. Twelfth annual report of the Department of Plant Pathology for the year ending September 30th, 1935. Scale-Hayne Agr. Coll. Pamph. 46. 33 p. illus.
489. ———, and ———. 1939. Fifteenth annual report of the Department of Plant Pathology for the year ending September 30th, 1938. Scale-Hayne Agr. Coll. Pamph. 49. 41 p. illus.
490. STEIN, W. 1967. Die Rüsselkäferfauna des Grünlandes und ihre phytopathologische Bedeutung. Teil I. [The Curculionid fauna of meadowland and its phytopathological importance. Part I.] Z. Angew. Entomol. 60(1):3-59. illus.
491. ———. 1967. Die Rüsselkäferfauna des Grünlandes und ihre phytopathologische Bedeutung. Teil II. [The Curculionid fauna of meadowland and its phytopathological importance. Part II.] Z. Angew. Entomol. 60(2):141-181. illus. refs.
492. STRANAK, F. 1938. Choroby a poškození kulturních rostlin v Čechách ve vegetačním období 1936-1937. [Diseases and injuries of cultivated plants in Bohemia during the vegetation period 1936-1937.] Ochr. Rost. 14(55):1-4.
493. SUGAK, A. 1938. On the study of pests attacking the non-alkaloid lupin. (In Russian) Zashch. Rast. (Plant Prot.-Leningrad) 16:96-99. illus. refs.
494. SWALES, G. E., and S. McDONALD. 1965. Susceptibilities of adults of the sweetclover weevil to certain insecticides in the laboratory. J. Econ. Entomol. 58(5):988-990. illus. refs.
- #495. SY, M. 1947. Versuche zur Wirkungsbreite des Gesarols. [Experiments on the scope of action of gesarol.] Pestschr. Appel 1947:44-47. refs.
- #496. SZUCS, J. 1963. *Sitona lineata*, dangerous pest of peas. (In Hungarian) Kertész. Szőlész. Füisk. Évk. 12(9):5.
- #497. ———, and B. AMBRUS. 1963. Plant protection of lucerne stubble field (In Hungarian) Magy. Mezogazdasag 18(20):14-15.
- #498. TANASJEVIC, N. 1954. Dejstvo organskih preparata na štetne i korisne insekte lucerišta. [The action of organic preparations on injurious and beneficial insects in fields of lucerne.] (English summary) Plant Prot. (Belgrade) (Zast. Bilja) 23:21-38. refs.
- #499. ———. 1959. Zastupljenost najvažnijih vrsta iz roda *Sitona* kod nas i neki momenti iz njihove biologije. [The presence of most important species of *Sitona* in our country and some data on their bionomics.] (English summary) Zborn. Priir. Nauke Matica Srp. 16:38-43. illus. refs.
500. TATE, P. 1940. On *Mycetosporidium jacksonae* n. sp. parasitic in species of *Sitona* weevils. Parasitology 32(4):462-469. illus. refs.
- #501. TELFORD, H. S. 1944. The sweet clover weevil "*Sitona cylindricollis*." N. & S. Dak. Hort. 17:79.
- #502. ———. 1952. New insect attacks sweetclover plants. Wash. Farmer 77:576.
503. ———, and J. A. MUNRO. 1943. Sweet clover weevil investigations. N. Dak. Agr. Exp. Sta. Bi-Mon. Bull. 5(6):16-17. illus.
504. ———, and ———. 1944. Toads feed upon sweet clover weevils. N. Dak. Agr. Exp. Sta. Bi-Mon. Bull. 6(4):35-37. illus. refs.
505. TEMPEL, W. 1924. Auftreten von Kleestengelbrenner und Kleewurzelhalsfliege. [Occurrence of clover anthracnose and clover collar fly.] Die Kranke Pflanze 1(7):132-133.
506. ———. 1930. Blattrandkäfer als Rosenschädlinge [*Sitona lineata* as a pest of roses.] Die Kranke Pflanze 7(1):8-9. illus.
- #507. THODE, K. 1941. Versuche zur chemischen Bekämpfung von *Sitona lineata* L. [Experiments in the chemical control of *S. lineatus*.] Inaug.-Diss., Bonn, Würzburg. 56 p.
508. ———. 1942. Versuche zur chemischen Bekämpfung von *Sitona lineata* L. [Experiments in the chemical control of *S. lineatus*.] Z. Pflanzenkr. Pflanzenschutz 52(7-8):416-417.
509. THOMPSON, L. S. 1961. Insect survey of forage crops in Prince Edward Island. J. Econ. Entomol. 57(6):961-962. refs.
510. ———, and C. B. WILLIS. 1967. Distribution and abundance of *Sitona hispidula* (F.) and the effect of

- insect injury on root decay of red clover in the Maritime Provinces. Can. J. Plant Sci. 47(4):435-440. illus. refs.
511. ———, and ———. 1967. Note on the incidence of *Sitona* spp. root injury, and root rot in forage legumes in the Maritime Provinces. J. Econ. Entomol. 60(4):1181-1182. illus. refs.
 512. ———, and ———. 1968. Effects of clover root curculios and *Fusarium* species on red clover in the greenhouse. Plant Dis. Rep. 52(3):213-214. illus. refs.
 513. ———, and ———. 1971. Forage legumes preferred by the clover root curculio and preferences of the curculio and root lesion nematodes for species of *Trifolium* and *Medicago*. J. Econ. Entomol. 64(6):1518-1520. illus. refs.
 514. THORSTEINSON, A. J. 1951. The sweet clover weevil. West Can. Beekeep. 14(9):10.
 515. ———. 1955. The experimental study of the chemotactic basis of host specificity in phytophagous insects. Can. Entomol. 87(2):49-57. refs.
 - #516. ———. 1957. Investigation of chemical constituents of sweetclover significant for susceptibility to *Sitona cylindricollis* Fahr. Proc. Forage Insect Res. Conf. 7:1.
 - #517. ———. 1960. Infestation flights of sweet clover weevils and flea beetles. Manitoba Agron. Annu. Conf. 1960:31.
 - #518. TRUSCOTT, J. D. 1953. Progress report on breeding for resistance to the sweet clover weevil. Can. Exp. Farms Serv. West. Forage Crops Comm. Rep. 1953:17.
 - #519. TULISALO, U. 1970. Resistance of pea to the pea weevil, *Sitona lineatus* L. (Col. Curculionidae). Publ. Eur. Mediterr. Plant Prot. Org. Ser. A 54:77-79.
 - #520. TULLGREN, A. ?1917. Skadedjur i Sverige åren 1912-1916. [Injurious animals in Sweden during 1912-1916.] Entomol. Avd. 27:104.
 - #521. ———. ?1917. Skadedjur i Sverige åren 1912-1916. [Injurious animals in Sweden during 1912-1916.] Medd. Centralanst. Jorsbruksf. 152:?
 - #522. TURAEV, N. S. 1939. The effect of the feeding of the larvae of the pea weevils (*Sitona lineata*, L. and *Sitona crinita*, Hbst.) on the content of nitrogen in the root system of peas and vetches, as well as on the general balance of the biologically bound nitrogen in the soil. Rep. Sci. Meet. Leningrad Inst. Agr. 4 p.
 - #523. ———. 1964. Kratkii ocherk sistematiiki, sravnitel'noi morfologii i anatomii polosatogo i serogo shchetinistogo klubeni' kovykh dolgonosikov povrezhdayushchikh bobovye rasteniya. [A brief outline of the systematics, comparative morphology and anatomy of bean and pea weevils *Sitona* spp. (*S. lineatus* and *S. crinitus*) that damage legumes.] Tr. Sverdlovsk. Sel'skokhoz. Inst. 11:298-321.
 524. TURNER, E. C., JR. 1957. Control of the clover root curculio on alfalfa. J. Econ. Entomol. 50(5):615-618. illus. refs.
 - #525. TWOMEY, J. 1946. Insects you should know. Wkly. Market News 21(46):4.
 - #526. UGRYUMOV, M., and N. ZAGAINOV. 1965. Proper protection for clover seed plants. (In Russian) Zashch. Rast. Vred. holec. 6:9-10.
 - #527. ULASHKEVICH, M. I. 1935. Nodule weevils of the species *Sitona lineata* L. and *Sitona crinita* Hbst. (In Ukrainian) Vinnitska Obl. s.-g. Dosl. Sta. [Vinnitsa Reg. Agr. Exp. Sta.] 23. 75 p. illus. refs.
 528. UNDERHILL, G. W., E. C. TURNER, JR., and R. G. HENDERSON. 1955. Control of the clover root curculio on alfalfa with notes on life history and habits. J. Econ. Entomol. 48(2):184-187. illus. refs.
 529. URBAN, —. 1923. *Sitona humeralis*, Steph. Entomol. Blätter 19(1):48.
 530. URBAN, C. 1929. Beiträge zur Naturgeschichte einiger Rüsselkäfer. I. Entomol. Blätter 25(1):16-24. refs.
 - #531. USACHEVA, K. N. 1964. Granular insecticides for the protection of pea shoots from root-nodule weevils. (In Russian) Tr. Vses. Inst. Zashch. Rast. 20(1):28-32. illus. refs.
 - #532. ———. 1964. On the toxicological justification for using insecticides in granules. (In Russian) Tr. Vses. Inst. Zashch. Rast. 20(3):3-5. refs.
 533. USDA. 1934. Summary for 1933. Insect Pest Surv. Bull. 13(10):325-340. illus. refs.
 - #534. UVAROV, B. P. 1914. Report of the entomological bureau of Stavropol for 1913. (In Russian) Dep. Agr. Cent. Bd. Land Admin. Agr. (Petrograd). 86 p. illus. maps.
 535. VAN DYKE, E. C. 1917. A newly introduced clover beetle, *Sitona hispidulus* Germ. Calif. State Comm. Hort. Mon. Bull. 6(6):248-249. refs.
 536. VAN EMDEN, F. I. 1952. On the taxonomy of Rhyncho-phora larvae: Adelognatha and Alophinae (Insecta: Coleoptera). Proc. Zool. Soc. London 122(3):651-795. illus. refs.
 - #537. VAN POETEREN, N. 1925. Verslag over de werkzaamheden van den plantenziektenkundigen dienst in het jaar 1924. [Report on the work of the Phytopathological Service in the year 1924.] Versl. Meded. Plantenziektenk. Dienst Wageningen 41. 62 p. illus.
 - #538. VAPPULA, N. A. 1932. Peltokasvien tuholaist v. 1931. [Field crop pests in Finland in 1931.] Valtion Maatalousk. Tiedonantoja 41. 4 p. illus.
 539. VASHILEV, I. 1936. Pests of lupine (*Lupinus*). (In Russian) Zashch. Rast. (Plant Prot.-Leningrad) 11:103-108. refs.
 - #540. VASSILEV, E. 1913. The Entomological Section of the Report of the Experimental Entomological Station of the All-Russian Society of Sugar-Refiners for 1912. (In Russian) Rep. Exp. Entomol. Sta. All-Russ. Soc. Sugar-Refiners. p. 12-33.
 - #541. VASSILEV, E. M. 1913. Lists of pests of lucerne. (In Russian) Chosjaistvo (Kiev) 16 + 17. 8 p.
 - #542. ———. 1914. Second supplement to "The list of animal pests of lucerne." (In Russian) Chosjaistvo (Kiev) 16:537-539.
 - #543. VEENENBOS, J. A. J., and T. W. BRANDSMA. 1958. Voorlopig verslag (over 1957) van de interprovinciale serie (201) voor het onderzoek naar de rentabiliteit van de bestrijding van de bladrandkever en de vroege akkertrips. [Preliminary report (for 1957) of the interprovincial series (201) for research in the profitability of control of the pea weevil (*Sitona lineata*) and the early field trips.] Wageningen Proefsta. Akker-Weideb. Gestencilde Versl. Interprov. Proeven 55. 7 p.
 - #544. VINOKUROV, G. M. 1916. Preliminary report on the investigation of pests in the Ordubad district of the government of Erivan in 1916. (In Russian) Bull. Tiflis-Erivan-Kars Bur. Control Pests Agr. 1:1-18.
 - #545. VINOKUROV, I. M. 1927. Five years' work of the Irkutsk Plant Protection Station (1922-26). (In Russian) Izv. Sib. Kraev. Stantz. Zashch. Rast. 2(5):16-24.
 546. VISENT, L. 1967. Vliyanie fiziologicheskogo sostoyaniya roditelei na potomstvo i nasekomykh. [Effect of the physiological state of insect parents on their progeny (*Scolytidae*, *Drosophila*, *Sitona* spp.).] (In Russian) Zh. Obshch. Biol. 28(1):30-49. illus. refs.
 - #547. VOJDANI, S. 1965. Les charancons radicales de la

- luzerne a Karadj-Iran. [Root weevils of alfalfa at Karadj-Iran.] Bull. Univ. Tehran Agr. Coll. 71. 38 p. refs.
- #548. VOOR, E. 1952. Die Bekämpfung der Blatrandkäfer (*Sitona*-Arten) mit verschiedenen Stäubemitteln. Höfchen-Br. Bayer Pflanzenschutz-Nachr. 5:89-91.
- #549. ———. 1957. Beobachtungen über das Auftreten von Blatrandkäfern (*Sitona*-Arten). Gesunde Pflanz. 9(3):48-55.
550. VOLK, S. and S. BOMBOSCH. 1968. Orientierende Untersuchungen über den Einfluss der Fruchtfolge auf die Vermehrung von Erbsenschädlingen. [Investigations on the influence of the crop rotation on the reproduction of pea pests.] Anz. Schädlingk. 41(4):57-63. illus. refs.
551. VON WAHL, —. 1921. Schädlinge an der Sojabohne. [Pests of the soybean.] Z. Pflanzenk. 31(5-6):194-196.
- #552. VUKASOVIĆ, P., D. ČAMPAG, J. ĐURKIĆ, and M. JOVANIĆ. 1964. Prilog posnavanju koleopterske entomofaune zemljišta na oranicama, luceristima, livadama i pašnjacima nekih rejlona Vojvodine. (Original in Cyrillic) [A contribution to knowledge of the coleopterous insect fauna of arable land, lucerne fields, meadows and pastures in some districts of the Vojvodina.] Zborn. Prii. Nauke Matica Srp. 27:84-100. illus. refs.
553. WAGN, O. 1954. Jagtagelser over optraeden af bladrand-biller (*Sitona*-arter) i baeglplanteagroder. [Observations on the occurrence of pea and bean weevils (*Sitona* spp.) in leguminous crops.] Tidsskr. Planteavl. 57(4):706-712. illus. refs.
- #554. WAHL, B. 1920. Die wichtigeren tierischen Schädlinge unserer gebräuchlichsten Gemüsearten. [The more important animal pests of our most common vegetables.] Mitt. Landwirt.-Bakter. Pflanzenschutzsta. Vienna. 70 p. illus.
- #555. WAHL, C. V., and K. MÜLLER. 1914. Bericht der Hauptstelle für Pflanzenschutz in Baden an der Grossherzog. landwirtschaftl. Versuchsanstalt Augustenberg für das Jahr 1913. [The report of the chief plant-protection station in Baden, at the Augustenberg Agricultural Experiment Institute of the Grand Duchy for 1913.] Stuttgart. 70 p.
556. WALSTROM, R. J. 1953. Protect sweet clover with DDT. Wallace's Farmer & Iowa Homestead 78(8):37. illus.
557. WARBURTON, C. 1917. Annual report for 1917 of the Zoologist. J. Roy. Agr. Soc. Eng. 78:209-219.
558. ———. 1919. Annual report for 1919 of the Zoologist. J. Roy. Agr. Soc. Eng. 80:411-417.
559. ———. 1920. Annual report for 1920 of the Zoologist. J. Roy. Agr. Soc. Eng. 81:247-253. illus.
560. ———. 1924. Annual report for 1924 of the Zoologist. J. Roy. Agr. Soc. Eng. 85:412-447.
561. ———. 1926. Annual report for 1926 of the Zoologist. J. Roy. Agr. Soc. Eng. 87:352-356.
562. WASHBURN, R. H., and L. J. KLEBASADEL. 1961. *Sitona scissifrons* (Coleoptera: Curculionidae), a potential hazard to alfalfa production in Alaska. J. Econ. Entomol. 57(6):995. refs.
563. WATERS, N. D. 1964. Effects of *Hypera nigrirostris*, *Ily-lastinus obscurus*, and *Sitona hispidula* populations on red clover in southwestern Idaho. J. Econ. Entomol. 57(6):907-910. illus. refs.
564. WAY, M. J., and P. II. NEEDHAM. 1957. Control of some bean and potato pests using a systemic insecticide applied to the soil and seed. Plant Pathol. 6(3):96-103. illus. refs.
565. WEBSTER, F. M. 1886. Insects affecting white clover. In: Report of the Entomologist. Rep. U.S. Commr. Agr. 1886:580-582. refs.
566. ———. 1915. Alfalfa attacked by the clover-root curculio. U.S. Dep. Agr. Farmers Bull. 649. 8 p. illus. refs. maps.
567. ———. 1915. Importance of observations on apparently unimportant insects. Can. Entomol. 47(3):69-73.
568. WEBSTER, R. L., et al. 1942. Division of Entomology. In: Fifty-second annual report for the fiscal year ended June 30, 1942. Wash. Agr. Exp. Sta. Bull. 425:35-41.
569. WILCOX, J. D. C. MOTE, and L. CHILDS. 1934. The root-weevils injurious to strawberries in Oregon. Oreg. Agr. Exp. Sta. Bull. 330. 109 p. illus. refs.
570. WILDERMUTH, V. L. 1910. The clover-root curculio. U.S. Dep. Agr. Bur. Entomol. Bull. 85(3):29-38. illus. refs.
571. WILKINSON, D. S. 1926. Entomological notes. Cyprus Agr. J. 21(1):10-12.
572. ———. 1926. Entomological notes. Cyprus Agr. J. 21(3):69-70.
573. WILSON, M. C. 1951. Control of the sweetclover weevil in Indiana. J. Econ. Entomol. 44(5):792-796. illus.
574. ———. 1951. The sweet clover weevil and its control in Indiana. Indiana Agr. Exp. Sta. Circ. 369. 8 p. illus.
575. ———, and S. A. BARBER. 1954. The influence of the sweetclover weevil and soil fertility on sweetclover stands. J. Econ. Entomol. 47(1):117-122. illus. refs.
576. ———, and C. V. CONDER. 1919. Want to raise clover or weevils? Successful Farming 47(4):176, 178. illus.
577. ———, R. L. DAVIS, B. A. HAWS, and H. L. THOMAS. 1956. Attractiveness of sweetclover varieties to the sweet-clover weevil. J. Econ. Entomol. 49(4):441-446. illus. refs.
578. WOODSIDE, A. M., and E. C. TURNER, JR. 1956. Control of the clover root borer in Virginia. J. Econ. Entomol. 49(5):640-643. illus. refs.
- #579. WORONIECKA, J. 1923. Szkodniki pól, ogrodów i lasów, występujące na terenie Puław i okolicy w 1923 r. przeglad systematyczno-biologiczny. [Agricultural pests of Pulawy and its environs in 1923.] (English summary) Mem. Inst. Nat. Polonais Econ. Rus. Pulawy 4(A):341-359.
- #580. YAKHONTOV, V. V. 1935. Contribution to the biology and economic importance of the beetles of the genus *Sitona* Germ. pests of lucerne in central Asia. (In Russian) Sots. Nauka Tekh. 3(11):53-59. illus. refs.
- #581. YAROSLAVTSEV, G. M. 1928. Insect pests in 1927. (In Russian) Zapadn. Obl. S.-Kh. Op. Stautz. 29. 31 p. refs.
- #582. ———. 1930. Einfluss des Kleeschlages in der Fruchtfolge auf die Schädlingvermehrung. [The influence of fields of clover sown among other crops in the course of crop rotation on the abundance of pests.] (In Russian) Rep. Appl. Entomol. (Leningrad) 4(2):319-331. refs.
583. YOTHERS, M. A. 1916. Bud weevils and other bud-eating insects of Washington. Wash. Agr. Exp. Sta. Bull. 121. 55 p. illus. refs.
- #584. ZACHER, F. 1919. Untersuchungen über Schädlingbekämpfung mit Blausäure. [Investigations on combating insect pests with hydrocyanic acid gas.] Mitt. Biol. Reichsanst. Land-Forstwirt. 17:31-37.
585. ———. 1921. Tierische Schädlinge an Heil- und Giftpflanzen und ihre Bedeutung für den Arzneipflanzenbau. [Animal pests of curative and poisonous plants and their importance in the cultivation of medicinal plants.] Ber. Deut. Pharm. Ges. 31(2):53-65. illus.
- #586. ZANDVOORT, R. 1963. Verslagen van de proeven over de rentabiliteit van de bestrijding van de bladrandkever en

de vroege akkerthrips bij erwten (serie 204) en van de erwtenknopmide (serie 205). [Report of tests on the profitability of control of the pea weevil and the early field thrips on peas (series 204) and of the pea midge (series 205).] Wageningen Proefsta. Akker-Weideb. Gestencilde Versl. Interpov. Proeven 91. 9 p.

- #587. ZANGHERI, S. 1952. Contributi alla conoscenza dell'entomofauna delle leguminose da seme. I. Nota preventiva sull'entomofauna del pisello e della fava. [Contributions to knowledge of the insect fauna of leguminous seed plants. I. Preliminary note on the insect fauna of peas and broad beans.] Boll. Ist. Entomol. Univ. Studi Bologna 18(1950-51):93-116. illus. refs.
- #588. ZLATANOV, S. 1966. The bioecological factors governing the numerical distribution of some insect pests under the influence of shelter belts. (In Bulgarian — English summary) Rastenievod. Nauki 3(2):91-100. illus. refs.
589. ZOGG, H. E., HÖRBER, and R. SALZMANN. 1948. Bericht über die Tätigkeit der Eidg. landwirtschaftlichen Versuchsanstalt Zürich-Oerlikon pro 1946/47. 8. Pflanzen-

schutz. [Report of the Federal Agricultural Experiment Station Zürich-Oerlikon for 1946-47. 8. Plant protection.] Landwirt. Jahrb. Schweiz 62(5):460-470. illus. refs.

- #590. ZOIK, K. 1932. Einiges über die Tätigkeit der Versuchstation für angew. Entomologie d. Universität Tartu 1921-1932. [A few notes on the activities of the Experiment Station for Applied Entomology of the Tartu (Dorpat) University in the years 1921-1932.] (In Estonian) Mitt. Versuchssta. Angew. Entomol. Univ. Tartu 21. 10 p. maps.
- #591. ZOLOTAREVSKY, B. N. 1915. Preliminary report on the work on entomology in 1914. (In Russian) Stavropol-Caucasian Agr. Exp. Sta. Stavropol Munic. Auth. 12 p.

ADDENDUM

592. BELAND, G. L., F. A. HASKINS, G. R. MANGLITZ, and H. J. GORZ. 1973. Sweetclover weevil: Adenosine as a feeding stimulant. J. Econ. Entomol. 66(5):1037-1039. illus. refs.

PERIODICAL ABBREVIATIONS

Acta Zool. Cracov. — Acta Zoologica Cracoviensia.
Agr. Chem. — Agricultural Chemicals.
Agr. Gaz. N. S. W. — Agricultural Gazette of New South Wales.
Agr. Impr. Meas. Zemstvo Govt. Ufa — Agricultural Improvement Measures of the Zemstvo of the Government of Ufa.
Agr. Sarda — (Exact source unknown).
Agron. Dep. Zemstvo Govt. Ufa — Agronomical Department of the Zemstvo of the Government of Ufa.
Agron. Lusitana — Agronomia Lusitana.
Amer. Bee J. — American Bee Journal.
Ann. Appl. Biol. — Annals of Applied Biology.
Ann. Entomol. Fenn. — Annales Entomologici Fennici.
Ann. Entomol. Soc. Amer. — Annals of the Entomological Society of America.
Ann. Inst. Phytopathol. Benaki — Annales de l'Institut Phytopathologique Benaki.
Ann. Soc. Entomol. Fr. — Annales de la Société Entomologique de France.
Ann. Univ. Mariae Curie-Skłodowska Sect. C Biol. — Annales Universitatis Mariae Curie-Skłodowska Sectio C Biologia.
Ann. Serv. Épiphyt. — Annales du Service des Épiphyties.
Annu. Rev. Entomol. — Annual Review of Entomology.
Anz. Schädlinge. — Anzeiger für Schädlingkunde.
Aquila — Aquila A Madártani Intézet Évkönyve.
Aust. J. Sci. — Australian Journal of Science.
Beitr. Entomol. — Beiträge zur Entomologie.
Ber. Deut. Pharm. Ges. — Berichte der Deutschen Pharmazeutischen Gesellschaft.
Beretn. Statens Forskingsvirks. PIKult. — Beretning fra Statens Forskingsvirksomhed i Plantekultur.
Biol. Zentralbl. — Biologisches Zentralblatt.
Birk. Koruma Bül. — Bitki Koruma Bülteni.
Boll. Ist. Entomol. Univ. Studi Bologna — Bollettino dell'Istituto di Entomologia della Università degli Studi di Bologna.
Boll. Lab. Entomol. Agr. 'Filippo Silvestri' — Bollettino del Laboratorio di Entomologia Agraria 'Filippo Silvestri'.
Boll. Lab. Zool. Gen. Agr. R. Scuola Super. Agr. Portici — Bollettino del Laboratorio di Zoologia Generale e Agraria della R. Scuola Superiore d'Agricoltura, Portici.
Boll. Soc. Entomol. Ital. — Bollettino della Società Entomologica Italiana.
Brit. Columbia Dep. Agr. Publ. — British Columbia Department of Agriculture Publication.
Brit. Grassl. Soc. J. — British Grasslands Society Journal.
Bull. Ecol. Supr. Agr. Tunis — Bulletin École Supérieure d'Agriculture Tunis.
Bull. Entomol. Dep. Nikolaevsk Exp. Sta. — Bulletin of the Entomology Department of Nikolaevsk Experiment Station.

Bull. Entomol. Res. — Bulletin of Entomological Research.
Bull. Hort. (Liège) — Bulletin Horticole (Liège).
Bull. Inst. Rech. Biol. Sta. Biol. Univ. Perm. — Bulletin de l'Institut de Recherches Biologiques et de la Station Biologique à l'Université de Permskom.
Bull. Moscow Entomol. Soc. (Soc. Entomol. Mosquensis) — Bulletin of the Moscow Entomological Society (Societa Entomologica Mosquensis).
Bull. Moskovsk. S-Kh. Obl. Op. Stantz. Polevod. — (Exact source unknown).
Bull. Pests Agr. Meth. Control. — Bulletins on Pests of Agriculture and Methods of Controlling Them (Charkov).
Bull. Plant Prot. (Leningrad) — Bulletin of Plant Protection (Leningrad).
Bull. Soc. Entomol. Fr. — Bulletin de la Société Entomologique de France.
Bull. Soc. Ouralienne Amis Sci. Natur. — Bulletin de la Société Ouralienne d'Amis des Sciences Naturelles.
Bull. Soc. Pathol. Veg. Fr. — Bulletin de la Société de Pathologie Végétale de France.
Bull. Soc. Sci. Natur. Phys. Maroc — Bulletin de la Société des Sciences Naturelles et Physiques du Maroc.
Bull. Soc. Sci. Natur. Tunisie — Bulletin de la Société des Sciences Naturelles du Tunisie.
Bull. Tiflis-Erivan-Kars Bur. Control Pests Agr. — Bulletins of the Tiflis-Erivan-Kars Bureau for the Control of Pests of Agriculture (Tiflis).
Bull. Univ. Tehran Agr. Coll. — Bulletin, University of Tehran Agricultural College.
Calif. Dep. Agr. Bull. — California Department of Agriculture Bulletin.
Calif. Dep. Agr. Spec. Publ. — California Department of Agriculture Special Publication.
Calif. State Comm. Hort. Mon. Bull. — California State Commission of Horticulture Monthly Bulletin.
Can. Dep. Agr. Div. Entomol. Processed Publ. — Canada Department of Agriculture, Division of Entomology Processed Publication.
Can. Dep. Agr. Publ. — Canada Department of Agriculture Publication.
Can. Entomol. — Canadian Entomologist.
Can. Exp. Farms Serv. West. Forage Crops Comm. Rep. — Canadian Experimental Farms Service, Western Forage Crops Committee Report.
Can. Field Natur. — Canadian Field Naturalist.
Can. Insect Pest Rev. — Canadian Insect Pest Review.
Can. J. Agr. Sci. — Canadian Journal of Agricultural Science.
Can. J. Bot. — Canadian Journal of Botany.
Can. J. Plant Sci. — Canadian Journal of Plant Science.

TABLE OF REFERENCES BY SUBJECT AND PERIOD OF PUBLICATION

YEAR SUBJECT	Prior to 1900	1900- 1909	1910's	1920's	1930's	1940's	1950's	1960's	1970's
TAXONOMY	27,454		74,121,570	177,212,234	38,46,73,292	276,389,390	213,215,216,217, 248,293,308,448, 476,481,536	28,50,94,149,249, 250,251,356,398, 418,482,523	151,192
BEHAVIOR			566	529	39,43,45,435	135	98,317,515,516, 528	15,90,91,92,104, 187,188,311,320, 335,419,491,517	22,106,130, 513
LIFE HISTORY & BIOLOGY		142	78,121,171,246, 353,404,566,570	4,219,223,225, 229,230,239,266, 267,505,530,561, 581	37,38,39,40,43, 45,46,47,58,63, 83,112,160,282, 321,339,394,411, 443,456,522,527, 580,582	25,66,67,68,84, 85,135,303,369, 378,380,412,479, 576	69,70,132,145,175, 185,186,193,196, 200,202,203,317, 323,324,341,556, 384,441,462,463, 474,528,553,587	90,92,103,105,119, 174,179,252,258, 322,330,343,344, 345,346,360,361, 362,401,402,415, 420,432,490,491, 509,512,588	106,153,347, 365,403,460
ECOLOGY				223,336,529	37,45,278,394, 411,435,456,522		462,463,553,587	105,188,258,281, 315,318,401,402, 413,414,419,420, 490,491,563	130,365
DISTRIBUTION	472		54,72,100,138, 139,164,165,245, 260,264,270,316, 350,352	76,77,97,110, 140,141,150,169, 170,209,224,225, 236,243,305	73,82,89,112, 125,221,235,268, 274,278,283,292, 294,354,363,395, 434	66,87,88,115, 136,148,152,158, 220,325,333,349, 367,379	69,124,128,154, 155,163,178,194, 204,256,306	14,28,29,30,50,94, 119,120,127,137, 143,174,184,238, 330,357,359,386, 388,510,546	151
PHYSIOLOGY & MORPHOLOGY			171,566,570	225,228,229	39,41,42,43, 44,46,47,231, 233,367		108,215,216,462, 553	16,17,19,20,21,23, 26,91,167,188,319, 320,361,418,523	18,22,106, 151,153,162, 592
TRAPPING & SAMPLING					75				
ECONOMIC ROLE & DAMAGE	565	142	1,72,111,164, 264,269,289,290, 291,304,351,399, 400,404,405,416, 436,437,439,451, 452,461,465,466, 480,485,520,521, 534,535,540,541, 544,555,557,558, 567,583,591	2,3,5,76,99,209, 210,223,225,226, 236,239,243,255, 263,266,267,305, 327,348,381,431, 440,455,467,537, 545,554,559,560, 571,572,579,585	38,39,46,58,82, 89,96,112,211, 221,237,261,272, 273,274,282,283, 294,321,332,354, 383,394,410,443, 469,488,489,492, 493,506,533,538, 539,569,580	13,25,53,66,67, 87,148,242,277, 285,303,325,333, 337,338,355,364, 369,370,379,396, 409,412,449,459, 478,486,501,525, 568,589	31,32,33,48,59,64, 107,109,124,132, 134,167,175,193, 206,214,244,247, 254,256,262,279, 287,288,323,328, 341,374,391,421, 438,474,477,487, 499,502,510,514, 543,548,549,551, 552	49,51,80,102,104, 118,120,155,157, 168,174,179,208, 222,229,265,311, 330,331,343,344, 345,346,357,385, 386,401,402,413, 414,415,420,423, 424,427,429,432, 453,496,497,511, 512,547,562,586	129,207,347, 433
PARASITES, PREDATORS, & DISEASE			240,271,566,570	225,227,241	40,232,334,527	35,36,66,371, 372,375,376,377, 500,504	61,65,69,131,373, 393,463	14,102,253,295, 296,297,298,299, 300,301,302,362, 426	
NON- INSECTICIDAL CONTROL METHODS			62,246,289,353, 566,570	6,101,430	272,339,411,435, 527,580,582	66,68,71,84,158, 309,340,368,369, 375,377,378,380, 397,409,412,503	31,32,69,70,132, 358,382,442,575	16,17,19,23,26, 180,257,258,312, 313,415,490,491, 550,588	18,20,21,22
INSECTICIDAL CONTROL METHODS			123,444,445,447, 464,542,584	366	40,58,112,122, 160,272,282,284, 410,527,580,590	68,84,93,95,113, 135,190,191,303, 309,340,372,390, 417,430,468,475, 482,483,489,494, 495,503,507,508, 576	7,8,9,10,11,31,32, 33,34,60,70,79,116, 117,132,145,146, 147,172,175,181, 182,183,189,194, 195,196,201,203, 247,275,286,287, 288,307,324,326, 341,342,446,470, 471,474,498,524, 528,556,564,573, 574,575,578	12,24,114,126,133, 144,161,173,174, 179,205,252,265, 280,281,322,329, 343,344,345,346, 392,406,407,408, 415,457,458,473, 483,484,490,491, 494,526,531,532, 563	129,347,460
PLANT RESISTANCE						86,159,380,503	64,98,200,218,518, 577	15,166,176,197, 198,199,310,314, 422,423,424,425	57,519,592
HOST PLANTS			52,81,139,165, 291,570	55,97,99,101, 110,141,169,225, 266,336,428,561	38,46,58,89,112, 125,160,506,527, 569	66,152,325,337, 478	132,317,441,515, 516	49,51,80,104,137, 184,314,331,358, 360,432	403,513
DISEASE TRANSMISSION							56,107		

- Can. J. Zool. — Canadian Journal of Zoology.
 Cas. Česk. Společnosti Entomol. — Časopis Československé Společnosti Entomologické.
 Cent. Agr. Soc. Riga (Wenden) — Central Agricultural Society of Riga (Wenden).
 Centralanst. Jorkbruksf. — Centralanstalten för Jordbruksförsök.
 Chem. Trade J. — Chemical Trade Journal.
 Chor. Szkodn. Rośl. — Choroby i Szkodniki Roślin.
 Coleopt. Bull. — Coleopterists' Bulletin.
 Columbia Port Dig. — Columbia Port Digest.
 Crop Sci. — Crop Science.
 Crops Soils Mag. — Crops and Soils Magazine.
 Cyprus Agr. J. — Cyprus Agricultural Journal.
 Dairy Top. — Dairy Topics.
 Déf. Plantes — Défense des Plantes.
 Dep. Agr. Cent. Bd. Land Admin. Agr. (Petrograd) — Department of Agriculture of the Central Board of Land Administration and Agriculture (Petrograd).
 Deut. Entomol. Z. (n.s.) — Deutsche Entomologische Zeitschrift (New series).
 Diss. Giessen — Dissertation Giessen.
 Diss. Göttinger — Dissertation Göttinger.
 Diss. Math.-Nat. Fakult. Leipzig — (Exact source unknown).
 Dokl. Akad. Nauk SSSR — Doklady Akademii Nauk SSSR.
 Dokl. Akad. Nauk Uz. SSR — Doklady Akademii Nauk Uzbekskoi SSR.
 Dokl. Mosk. Sel'sko-khoz. Akad. Imeni K. A. Timiryazeva — Doklady Moskovskoi Sel'sko-khozyaistvennoi Akademii Imeni K. A. Timiryazeva.
 Dokl. Vses. Akad. Sel'sko-khoz. Nauk Imeni V. I. Lenina — Doklady Vsesoyuznoi Akademii Sel'sko-khozyaistvennykh Nauk Imeni V. I. Lenina.
 East Mallng Res. Sta. Annu. Rep. — East Mallng Research Station Annual Report.
 Empire J. Exp. Agr. — Empire Journal of Experimental Agriculture.
 Entomol. Avd. — Entomologiska Avdelningen (Stockholm).
 Entomol. Blätter — Entomologisches Blätter.
 Entomol. Bur. Govt. Zemstvo Poltava — Entomological Bureau of the Government of the Zemstvo of Poltava.
 Entomol. Exp. Appl. — Entomologia Experimentalis et Applicata.
 Entomol. Mon. Mag. — Entomologist's Monthly Magazine.
 Entomol. Nachr. — Entomologische Nachrichten.
 Entomol. Obozrenie — Entomologicheskoe Obozrenie (Revue d'Entomologie de l'URSS).
 Entomol. Soc. Ont. Annu. Rep. — Entomological Society of Ontario Annual Report.
 Entomol. Tidskr. — Entomologisk Tidskrift.
 FAO Plant Prot. Bull. — FAO (Food and Agriculture Organization of the United Nations) Plant Protection Bulletin.
 FCI Minco. — (Exact source unknown).
 Farm Home Sci. — Farm and Home Science (Utah).
 Farmer Stock-Breed. — The Farmer and Stock-Breeder.
 Faune Fr. — Faune de France.
 Festschr. Appel — Festschrift Appel.
 Flugbl. Abt. Pflanzenkr. K. Wilhelm-Inst. Landwirt. Bromberg — Flugblatt Abteilung für Pflanzenkrankheiten d. Kaiser Wilhelm-Instituts für Landwirtschaft in Bromberg.
 Gard. Chron. (Ser. 3) — Gardeners' Chronicle (Series 3).
 Gesunde Pflanz. — Gesunde Pflanzen.
 Gleanings Bee Cult. — Gleanings in Bee Culture.
 Grain Prod. J. — Grain Production Journal.
 Gt. Brit. Min. Agr. Fish. Adv. Leaff. — Great Britain Ministry of Agriculture and Fisheries Advisory Leaflet.
 Gt. Brit. Min. Agr. Fish. Food Adv. Leaff. — Great Britain Ministry of Agriculture, Fisheries, and Food Advisory Leaflet.
 Höfchen-Br. Bayer Pflanzenschutz-Nachr. — Höfchen-Briefe, Bayer Pflanzenschutz-Nachrichten.
 Hort. Market-Gard. — Horticulture and the Market-Gardener.
 Ill. Agr. Coll. Ext. (Proccssed) — Illinois Agricultural College Extension (Proccssed).
 Ill. Agr. Exp. Sta. Bull. — Illinois Agricultural Experiment Station Bulletin.
 Ill. State Beekeep. Assoc. Annu. Rep. — Illinois State Beekeepers' Association Annual Report.
 Inaug-Diss. Bonn Würzburg — Inaugural-Dissertation, Bonn, Würzburg.
 Ind. Saccar. Ital. — Industria Saccharifera Italiana.
 Indiana Agr. Exp. Sta. Circ. — Indiana Agricultural Experiment Station Circular.
 Insect Pest Surv. Bull. — Insect Pest Survey Bulletin (USDA).
 Inst. Agron. "Dr. Petru Groza" Cluj Lucr. Stiint. Ser. Agr. — Institutul Agronomic "Dr. Petru Groza," Cluj, Lucrari Stiintifice, Seria Agricultura.
 Iowa Farm Sci. — Iowa Farm Science.
 Irrig. Farmer — Irrigation Farmer.
 Israel J. Entomol. — Israel Journal of Entomology.
 Izdat. Bülgar. Akad. Nauk. for Inst. Zashch. Rast. Kostinbrod. (Sofia) — (Exact source unknown).
 Izdat. FAN Uzbek. SSR for Srednec. Inst. Zashch. Rast. (Tashkent) — (Exact source unknown).
 Izv. S'b. Kraev. Stantz. Zashch. Rast. — Izvestiya Sibirskogo Kraevoi Stantzii Zashchity Rastenii (Tomsk).
 Izv. Uzb. Fil. Akad. Nauk SSSR — Izvestiya Uzbekistanskogo Filiala, Akademii Nauk SSSR.
 J. Agr. S. Aust. — Journal of Agriculture, South Australia.
 J. Anim. Ecol. — Journal of Animal Ecology.
 J. Econ. Entomol. — Journal of Economic Entomology.
 J. Minn. Acad. Sci. — Journal of the Minnesota Academy of Science.
 J. Roy. Agr. Soc. Engl. — Journal of the Royal Agricultural Society of England.
 J. Soc. Brit. Entomol. — Journal of the Society for British Entomology.
 J. Southeast. Agr. Coll. Wye — Journal of the South-Eastern Agricultural College, Wye, Kent.
 Kans. Agr. Exp. Sta. Dir. Rep. — Kansas Agricultural Experiment Station Director's Report.
 Kans. State Agr. Coll. Ext. Bull. — Kansas State Agricultural College Extension Bulletin.
 Kans. State Bd. Agr. Bien. Rep. — Kansas State Board of Agriculture Biennial Report.
 Karteikurzb. Landwirt. — Karteikurzberichte für die Landwirtschaft.
 Kertész. Szőlész. Főisk. Évk. — Kertészeti és Szőlészeti Főiskola Évkönyve.
 Kiiv'ska Kraiova S.-G. Dosl. Statz., Vidd. Entomol. [Kiev Reg. Agr. Exp. Sta., Dep. Entomol.] — (Exact source unknown).
 Kiserl. Kozl. — Kiserletügyi Közlemények (Budapest).
 Kolkhoz. Proizvod. — Kolkhoznoe Proizvodstvo.
 Ky. Agr. Exp. Sta. Circ. — Kentucky Agricultural Experiment Station Circular.
 Landbveorlichtingsdienst. Landbveorlichting. — (Exact source unknown).
 Landesb. Sachsen-Anhalt Wbl. — Landesbauernschaft Sachsen-Anhalt Wochenblatt.
 Landwirt. Jahrb. — Landwirtschaftliches Jahrbuch.
 Landwirt. Jahrb. Schweiz — Landwirtschaftliches Jahrbuch der Schweiz.
 Landwirt. Wschr. Halle — Landwirtschaftliche Wochenschrift Halle.
 Latvian Cent. Agr. Soc. — Latvian Central Agricultural Society.
 Lauksaimn. Mēnešrak. [J. Agr.] — Lauksaimniecības Mēnešraksts [Journal of Agriculture].
 Lenin Acad. Agr. Sci. Leningrad — Lenin Academy of Agricultural Science, Leningrad.
 Lict. TSR Mokslu Akad. Darb. Ser. C — Lictuvas TSR Mokslu Akademijos Darbai Serija C.
 Lucr. Stiint. Inst. Agron. "N. Balcescu" Bucuresti Ser. A — Lucrari Stiintifice ale Institutului Agronomic "N. Balcescu" Bucuresti Series A.
 Magy. Mezőgazdasag. — Magyar Mezőgazdasag.
 Manitoba Agron. Annu. Conf. — Manitoba Agronomy Annual Conference.

- Manitoba Co-op. — (Exact source unknown).
- Md. Agr. Exp. Sta. Bull. — Maryland Agricultural Experiment Station Bulletin.
- Md. State Hort. Soc. Annu. Rep. — Maryland State Horticultural Society Annual Report.
- Medd. Centralanst. Jorsbruksf. — Meddelande fran Centralanstalt for Jorsbruksforsk.
- Meded. Landbouwhoogeschool te Wageningen — Mededeelingen van de Landbouwhoogeschool te Wageningen.
- Meded. Proefsta. Akker- Weideb. — Mededeelingen Proefstation voor de Akker- en Weidebouw Wageningen.
- Meded. Rijks Hoogere Land- tuin- Bosbouwsh. — Mededeelingen van de Rijks Hoogere Land- tuin- en Bosbouwsh. school.
- Mem. Bur. Entomol. Sci. Comm. Min. Agr. (Petrograd) — Memoirs of the Bureau of Entomology of the Scientific Committee of the Ministry of Agriculture (Petrograd).
- Mem. Inst. Nat. Polonais Econ. Rur. Pulawy — Memoires de l'Institut National Polonais d'Economie Rurale a Pulawy.
- Mich. Agr. Exp. Sta. Quart. Bull. — Michigan Agricultural Experiment Station Quarterly Bulletin.
- Mich. Agr. Exp. Sta. Tech. Bull. — Michigan Agricultural Experiment Station Technical Bulletin.
- Mich. State Bd. Agr. Annu. Rep. — Michigan State Board of Agriculture Annual Report.
- Minn. Agr. Exp. Sta. Tech. Bull. — Minnesota Agricultural Experiment Station Technical Bulletin.
- Minn. Agr. Ext. Serv. Ext. Fold. — Minnesota Agricultural Extension Service Extension Folder.
- Minn. Farm Home Sci. — Minnesota Farm and Home Science.
- Minn. Sci. — Minnesota Science.
- Misc. Publ. Bd. Agr. Fish. Intell. Dep. Plant Dis. Br. London — Miscellaneous Publications, Board of Agriculture and Fisheries, Intelligence Department, Plant Disease Branch, London.
- Misc. Publ. Bd. Agr. Fish. London — Miscellaneous Publications, Board of Agriculture and Fisheries, London.
- Misc. Publ. Min. Agr. Fish. London — Miscellaneous Publications, Ministry of Agriculture and Fisheries, London.
- Misc. Zool. — Miscelanea Zoológica.
- Mitt. Biol. Reichsanst. Land- Forstwirt. — Mitteilungen der Biologischen Reichsanstalt für Land- und Forstwirtschaft.
- Mitt. Landwirt.-Bakter. Pflanzenschutzsta. Vienna — Mitteilungen Landwirtschaftlich-Bakteriologisch und Pflanzenschutzstation Vienna.
- Mitt. Schweiz. Landwirt. — Mitteilungen für die Schweizerische Landwirtschaft.
- Mitt. Versuchssta. Angew. Entomol. Univ. Tartu — Mitteilungen der Versuchsstation für Angewandte Entomologie der Universität Tartu.
- Mleev Hort. Exp. Sta. Bull. — Bulletin of the Mleev Horticulture Experiment Station.
- Monogr. Pflanzenschutz — Monographien zum Pflanzenschutz.
- Mont. Agr. Exp. Sta. Bull. — Montana Agricultural Experiment Station Bulletin.
- N. Dak. Agr. Exp. Sta. Bi-Mon. Bull. — North Dakota Agricultural Experiment Station Bi-Monthly Bulletin.
- N. Dak. Outdoors — North Dakota Outdoors.
- N. & S. Dak. Hort. — North and South Dakota Horticulture.
- Nachr. Schädlingsbekämpf. — Nachrichten über Schädlingsbekämpfung.
- Nachrichtenh. Deut. Pflanzenschutzdienst — Nachrichtenblatt für den Deutschen Pflanzenschutzdienst.
- Natur Volk — Natur und Volk.
- Nebr. Agr. Exp. Sta. Ext. Circ. — Nebraska Agricultural Experiment Station Extension Circular.
- Nebr. Agr. Ext. Serv. Ext. Circ. (Processed) — Nebraska Agricultural Extension Service Extension Circular (Processed).
- Nebr. Exp. Sta. Quart. — Nebraska Experiment Station Quarterly.
- Neuh. Geb. Pflanzenschutzes — Neuheiten auf dem Gebiet des Pflanzenschutzes.
- Notts. Educ. Comm., Nottingham — (Exact source unknown).
- Notulae Entomol. — Notulae Entomologicae.
- Ochr. Rostl. — Ochrana Rostlin.
- Ohio Biol. Surv. Bull. — Ohio Biological Survey Bulletin.
- Ohio J. Sci. — Ohio Journal of Science.
- Oreg. Agr. Exp. Sta. Bull. — Oregon Agricultural Experiment Station Bulletin.
- Pan-Pac. Entomol. — Pan-Pacific Entomologist.
- Petrograd Kitchen Gard. — Petrograd Kitchen Gardening.
- Plant Dis. Rep. — Plant Disease Reporter.
- Plant Pathol. — Plant Pathology.
- Plant Prot. (Belgrade) (Zašt. Bilja) — Plant Protection (Belgrade) (Zaštita Bilja).
- Plantenziektenk. Dienst (Wageningen) — Plantenziektenkundigen Dienst (Wageningen).
- Pol. Pismo Entomol. Ser. B Entomol. Stosow. — Polski Pismo Entomologiczne Seria B Entomologia Stosowana.
- Prelim. Rep. Agr. Res. Sta. Rehovoth — Preliminary Report of the Agricultural Research Station, Rehovoth.
- Proc. Conf. Pests Clover Cent. Russ. — Proceedings of the Conference on Pests of Clover in Central Russia.
- Proc. Entomol. Soc. Manitoba — Proceedings of the Entomological Society of Manitoba.
- Proc. Entomol. Soc. Ont. — Proceedings of the Entomological Society of Ontario.
- Proc. Entomol. Soc. Wash. — Proceedings of the Entomological Society of Washington.
- Proc. Forage Insect Res. Conf. — Proceedings of the Forage Insect Research Conference.
- Proc. 12th Int. Congr. Entomol. (London) — Proceedings of the 12th International Congress of Entomology, London.
- Proc. Lenin Acad. Agr. Sci. USSR — Proceedings of the Lenin Academy of Agricultural Sciences of the U.S.S.R.
- Proc. N. Cent. Br. Amer. Assoc. Econ. Entomol. — Proceedings of the North Central Branch of the American Association of Economic Entomologists.
- Proc. N. Cent. Br. Entomol. Soc. Amer. — Proceedings of the North Central Branch of the Entomological Society of America.
- Proc. N. Dak. Acad. Sci. — Proceedings of the North Dakota Academy of Science.
- Proc. Oreg. Seed Growers Leag. — Proceedings of the Oregon Seed Growers League.
- Proc. Poltava Agr. Exp. Sta. — Proceedings of the Poltava Agricultural Experiment Station.
- Proc. Zool. Soc. London — Proceedings of the Zoological Society of London.
- Publ. Eur. Mediterr. Plant Prot. Org. Ser. A — Publications, European and Mediterranean Plant Protection Organization Series A.
- Purdue Univ. Agr. Exp. Sta. Annu. Rep. — Purdue University Agricultural Experiment Station Annual Report.
- Quart. Bull. Va. State Crop Pest Comm. — Quarterly Bulletin of the Virginia State Crop Pest Commission.
- Rapp. Annu. Inst. Rech. Agron. Sofia — Rapport Annuel de l'Institut des Recherches Agronomiques de l'état à Sofia.
- Rasteniyevod. Nauki — Rasteniyevodni Nauki (Plant Science — Bulgaria).
- Rastit. Zash. — Rastitelna Zashita (Sofia).
- Rep. Appl. Entomol. (Leningrad) — Report of Applied Entomology (Leningrad).
- Rep. Exp. Entomol. Sta. All-Russ. Soc. Sugar-Refiners — Report of the Experimental Entomological Station of the All-Russian Society of Sugar-Refiners.
- Rep. 1st Int. Congr. Plant Prot. Heverlee — Report to the First International Congress on Plant Protection, Heverlee.
- Rep. Min. Agr. Dominion Can. — Report of the Minister of Agriculture for the Dominion of Canada.
- Rep. Sci. Meet. Leningrad Inst. Agr. — Reports of the Scientific Meetings of the Leningrad Institute of Agriculture.
- Rep. U.S. Commr. Agr. — Report of the United States Commissioner of Agriculture.
- 7th Reun. Latinoamer. Fitotec. 1967. Res. Trab. Cient. [7th Lat. Amer. Meet. Phytotechnol. 1967. Summ. Sci. Pap.] — VII Reunión Latinoamericana de Fitotecnia, 1967. Resúmenes de los Trabajos Científicos [7th Latin American Meeting on Phytotechnology, 1967. Summaries of the Scientific Papers].

- Rev. Fr. Entomol. — Revue Française d'Entomologie.
 Riv. Patol. Veg. — Rivista di Patologia Vegetale.
 Rostl. Výroba — Rostlinna Výroba.
 Rothamsted Exp. Sta. Harpenden Annu. Rep. — Rothamsted Experimental Station, Harpenden, Annual Report.
 S. Beekeep. — Southern Beekeeper.
 Sci. Agr. — Scientific Agriculture.
 Sci. Tec. Agrar. — (Exact source unknown).
 Scot. Natur. — Scottish Naturalist.
 Seale-Hayne Agr. Coll. Pamph. — Seale-Hayne Agricultural College Pamphlet.
 Sel. Khoz. Uzb. — Sel'skoe Khozyaistvo Uzbekistana.
 Seminar Rep. Univ. Wis. — Seminar Report, University of Wisconsin.
 Soc. Sci. Fenn. Commentat. Biol. — Societas Scientiarum Fennica Commentationes Biologicae.
 Sots. Nauka Tekh. — Sotsialisticheskaya Nauka i Tekhnika.
 Stavropol-Caucasian Agr. Exp. Sta. Stavropol Munic. Auth. — Stavropol-Caucasian Agricultural Experiment Station of the Stavropol Municipal Authority (Stavropol).
 Sugar Beet Grower Quart. — Sugar Beet Grower Quarterly.
 Tidsskr. Planteavl. — Tidsskrift for Planteavl.
 Tijdschr. Plantenziekten — Tijdschrift over Plantenziekten.
 Tr. Khar'kov. Sel'skokhoz. Inst. — Trudy Khar'kovskogo Sel'skokhozyaistvennogo Instituta.
 Tr. Sverdlovsk. Sel'skokhoz. Inst. — Trudy Sverdlovskogo Sel'skokhozyaistvennogo Instituta.
 Tr. Vses. Inst. Zashch. Rast. — Trudy Vsesoyuznogo Instituta Zashchity Rastenii.
 Tr. Vses. Nauch.-Issled. Inst. Zashch. Rast. — Trudy Vsesoyuznogo Nauchno-Issledovatel'skogo Instituta Zashchity Rastenii.
 Trans. Brit. Mycol. Soc. — Transactions of the British Mycological Society.
 Trans. Highland Agr. Soc. Scot. — Transactions of the Highland and Agricultural Society of Scotland.
 Trans. Roy. Soc. Edinburgh — Transactions of the Royal Society of Edinburgh.
 Turkestan Entomol. Sta. — Turkestan Entomological Station (Tashkent).
 U.S. Dep. Agr. Bull. — United States Department of Agriculture Bulletin.
 U.S. Dep. Agr. Bur. Entomol. Bull. — United States Department of Agriculture, Bureau of Entomology, Bulletin.
 U.S. Dep. Agr. Farmers Bull. — United States Department of Agriculture Farmers' Bulletin.
 U.S. Dep. Agr. Tech. Bull. — United States Department of Agriculture Technical Bulletin.
 Uchen. Zap. Turkm. Gos. Ped. Inst. Ser. Biol. Geogr. Nauk. — (Exact source unknown).
 Univ. Wash. Publ. Biol. — University of Washington Publications in Biology.
 Valtion Maatalousk. Julk. — Valtion Maatalouskoetöiminnan Julkaisuja.
 Valtion Maatalousk. Tiedonantoja — Valtion Maatalouskoetöiminnan Tiedonantoja.
 Växtskyddsnotiser — Växtskyddsnotiser utgivna av Statens Växtskyddsanstalt.
 Véd. Pr. Výzk. Ústavu Krmivářského ČSAZV v Brně — Vědecké Pracé Výzkumného Ústavu Krmivářského ČSAZV v Brně.
 Verh. Deut. Ges. Angew. Entomol. — Verhandlungen der Deutschen Gesellschaft für Angewandte Entomologie.
 Verh. 7th Int. Kongr. Entomol. (Berlin) — Verhandlungen des VII Internationaler Kongress für Entomologie (Berlin).
 Versl. Meded. Plantenziekten. Dienst Wageningen — Verslagen en Mededeelingen van den Plantenziektenkundigen Dienst te Wageningen.
 Vinnitz'ka Obl. s.-g. Dosl. Sta. [Vinnitsa Reg. Agr. Exp. Sta.] — (Exact source unknown).
 Vish. Selskostopanski Inst. "Georgi Dimitrov" Agron. Fakul. Nauch. Trudove — (Exact source unknown).
 W.Va. Agr. Exp. Sta. Bull. — West Virginia Agricultural Experiment Station Bulletin.
 Wageningen Proefsta. Akker- Weideb. Gestencilde Versl. Interprov. Proeven — Wageningen Proefstation voor de Akker- en Weidebouw. Gestencilde Verslagen van Interprovinciale Proeven.
 Warsaw Hort. Soc. Annu. — Warsaw Horticultural Society's Annual.
 Wash. Agr. Exp. Sta. Bull. — Washington Agricultural Experiment Station Bulletin.
 Wash. Agr. Ext. Serv. Ext. Mimeo. — Washington Agricultural Extension Service Extension Mimeograph.
 Wash. Farmer — Washington Farmer.
 Welsh J. Agr. — Welsh Journal of Agriculture.
 West. Can. Beekeep. — Western Canada Beekeeper.
 Wis. Univ. Ext. Serv. Spec. Circ. — Wisconsin University Extension Service Special Circular.
 Wkly. Market News — Weekly Market News.
 Yearb. Dep. Agr. Petrograd — Yearbook of the Department of Agriculture, Petrograd.
 Z. Angew. Entomol. — Zeitschrift für Angewandte Entomologie.
 Z. Angew. Zool. — Zeitschrift für Angewandte Zoologie.
 Z. Morphol. Ökol. Tiere — Zeitschrift für Morphologie und Ökologie der Tiere.
 Z. Pflanzenkr. — Zeitschrift für Pflanzenkrankheiten.
 Z. Pflanzenkr. (Pflanzenpathol.) Pflanzenschutz — Zeitschrift für Pflanzenkrankheiten (Pflanzenpathologie) und Pflanzenschutz.
 Z. Pflanzenkr. Pflanzenschutz — Zeitschrift für Pflanzenkrankheiten und Pflanzenschutz.
 Z. Vergl. Physiol. — Zeitschrift für Vergleichende Physiologie.
 Z. Wiss. InsektBiol. — Zeitschrift für Wissenschaftliche Insektenbiologie.
 Z. Zuckerind. Cechoslov. Republ. — Zeitschrift für die Zuckerindustrie der Cechoslovakischen Republik.
 Zakhyst Rosl. — Zakhyst Roslyn.
 Zapadn. Obl. S.-Kh. Op. Stantz. — (Exact source unknown).
 Zashch. Rast. (Plant Prot.-Leningrad) — Zashchita Rastenii (Plant Protection — Leningrad).
 Zashch. Rast. Vred. Bolez. — Zashchita Rastenii ot Vreditel'ei i Boleznei.
 Zborn. Priir. Nauke Matica Srp. — Zbornik na Prirodne Nauke Matica Srpska. (Novi Sad).
 Zemstvo Govt. Moscow — Zemstvo of the Government of Moscow.
 Zemstvo Govt. Orel — Zemstvo of the Government of Orel.
 Zemstvo Govt. Riazan — Zemstvo of the Government of Riazan.
 Zemstvo Govt. Volhynia, Jitomir — Zemstvo of the Government of Volhynia, Jitomir.
 Zh. Obshch. Biol. — Zhurnal Obshchei Biologii.
 Zool. Jahrb. Abt. Syst. Ökol. Geogr. Tiere — Zoologische Jahrbücher Abteilung für Systemik Ökologie und Geographie der Tiere.





